

THE SENATE
THE TWENTY-THIRD LEGISLATURE
REGULAR SESSION OF 2006

RECEIVED
THE SENATE
CLERK'S OFFICE
STATE OF HAWAII

'06 APR -5 P2 53

COMMITTEE ON ENERGY, ENVIRONMENT, AND INTERNATIONAL AFFAIRS

Senator J. Kalani English, Chair
Senator Russell S. Kokubun, Vice Chair

NOTICE OF HEARING

DATE: Thursday, April 6, 2006
TIME: 1:15 p.m.
PLACE: Conference Room 224
State Capitol
415 South Beretania Street

A G E N D A

SCR 40 SD1 (SSCR3325) SR 21 SD1 (SSCR3326)	REQUESTING THAT THE ADJUTANT GENERAL OF THE HAWAII NATIONAL GUARD PROVIDE MEMBERS AND VETERANS OF THE ARMED FORCES HEALTH SCREENING FOR DEPLETED URANIUM EXPOSURE.	EDM, EIA
SCR 233 (SSCR3276)	REQUESTING THE MILITARY TO MAP AND MONITOR ALL MUNITION DUMPSITES OFF HAWAIIAN SHORES.	EDM, EIA


Decision Making to follow, if time permits.

Persons wishing to testify should submit 18 copies of their testimony to the committee clerk, Room 205, State Capitol, 24 hours prior to the hearing. Testimony may also be faxed if less than 5 pages in length, to the Senate Sergeant-At-Arms Office at 586-6659 or 1-800-586-6659 (toll free for neighbor islands), at least 24 hours prior to the hearing. When faxing, please indicate to whom the testimony is being submitted, the date and time of the hearing, and the required number of copies needed for submittal. Please note that the Senator's office will not accept e-mail testimony. Please direct all e-mail testimony to: testimony@capitol.hawaii.gov.

If you require special assistance or auxiliary aids or services to participate in the public hearing process (i.e., sign language interpreter, wheelchair accessibility, or parking designated for the disabled) please contact the committee clerk 24 hours prior to the hearing so arrangements can be made.

Public Folder. A folder labeled "Public Folder" containing the measures and testimonies for the hearing will be available for shared use by members of the public.

FOR FURTHER INFORMATION, PLEASE CALL THE COMMITTEE CLERK AT 586-6903.



Senator J. Kalani English
Chair

