A BILL FOR AN ACT

RELATING TO PENALTIES.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

- 1 SECTION 1. Section 291-35.1, Hawaii Revised Statutes, is
- 2 amended to read as follows:

- 3 "§291-35.1 Regulation of bumper height. (a) No person
- 4 shall operate upon any public road, street, or highway within
- 5 the State a motor vehicle with a bumper height in excess of the
- 6 maximum bumper height requirements of subsection (b).
- 7 (b) Maximum bumper heights of motor vehicles shall be
- 8 determined by the weight category of gross vehicle weight rating
- 9 (GVWR) as measured from a level surface to the highest point on
- 10 the bottom of the bumper. Maximum heights are as follows:

11	Gross Vehicle Weight Rating	Front	Rear
12	Passenger vehicles	22 inches	22 inches
13	4,500 lbs. and under	29 inches	29 inches
14	4,501 lbs. to 7,500 lbs.	33 inches	33 inches
15	7,501 lbs. to 10,000 lbs.	35 inches	35 inches
16	For any vehicle with bumpers	or attaching co	omponents which
17	have been modified or altered from	n the original m	manufacturer's
18	design to conform with the maximum	n bumper height	requirements of
	HR2617 HD1 HMC 2012_23/49		

- 1 this section, the bumper height shall be measured from a level
- 2 surface to the bottom of the bumper. The vehicle frame rail,
- 3 measured from a level surface to the bottom of the vehicle frame
- 4 rail, shall not exceed the attached bumper height. The maximum
- 5 distance between vehicle body to vehicle frame rail shall not
- 6 exceed three inches. The distance between the vehicle body to
- 7 vehicle frame rail shall be measured from the vehicle body mount
- 8 seat to the vehicle frame rail mount seat.
- 9 ["Bumper", for] (c) For the purposes of this section,
- 10 "bumper" means a horizontal load bearing protective system
- 11 installed on a motor vehicle which is constructed of sturdy
- 12 materials that will not shatter or split upon moderate impact
- 13 and provides adequate protection against damages to the front
- 14 and rear external lighting and reflective devices, hood, trunk,
- 15 doors, painted surfaces, cooling system, exhaust system, and
- 16 other components during a low speed impact.
- 17 (d) Any vehicle that exceeds the Vehicle Equipment Safety
- 18 Commission Regulation 12 recommended bumper height, based on
- 19 the gross vehicle weight rating, shall be equipped with an
- 20 audible reverse warning system. The audible reverse warning
- 21 system is not required on any open cab vehicle with a distance

- 1 of less than four feet from the rear of the driver's seating
- 2 position to the rear most part of the vehicle body."
- 3 SECTION 2. Section 291-37, Hawaii Revised Statutes, is
- 4 amended to read as follows:
- 5 "§291-37 Penalties. (a) Any person who omits to perform
- 6 any of the acts required by, or who commits any of the acts
- 7 prohibited by $[\tau]$ sections 291-2 to 291-33 $[\tau]$ and 291-35.1, or
- 8 any rules adopted to enforce those sections, shall be guilty of
- 9 a violation and shall be fined not less than \$25 nor more than
- 10 \$1,800, except as otherwise provided.
- 11 Any person who omits to perform any of the acts required
- 12 by, or who commits any of the acts prohibited by [7] section 291-
- 13 34, 291-35, or 291-36 shall be fined in accordance with the
- 14 following tables:

15	The fine	_
1 · ·	U'na fina	a tor a
1. J	1116 1111	- LOT 0

16	If the	excess	weight	is:	violation	shall	be:
----	--------	--------	--------	-----	-----------	-------	-----

17	100	to	1,500	pounds	\$250	
----	-----	----	-------	--------	-------	--

18	1,501 t	0 2,000	pounds	\$260
----	---------	---------	--------	-------

- 2,001 to 2,500 pounds \$280
- 20 2,501 to 3,000 pounds \$320
- 21 3,001 to 3,500 pounds \$360
- 22 3,501 to 4,000 pounds \$400

HB2617 HD1 HMS 2012-2349

1	4,001 to 4,500 pounds <u>\$</u> 450
2	4,501 to 5,000 pounds <u>\$</u> 500
3	5,001 to 5,500 pounds <u>\$</u> 550
4	5,501 to 6,000 pounds <u>\$</u> 600
5	6,001 to 6,500 pounds <u>\$</u> 660
6	6,501 to 7,000 pounds <u>\$</u> 720
7	7,001 to 7,500 pounds <u>\$</u> 780
8	7,501 to 8,000 pounds <u>\$</u> 840
9	8,001 to 8,500 pounds <u>\$</u> 910
10	8,501 to 9,000 pounds <u>\$</u> 980
11	9,001 to 9,500 pounds <u>\$</u> 1050
12	9,501 to 10,000 pounds <u>\$</u> 1120
13	10,001 pounds and over <u>\$</u> 1160
14	If the excess dimension is: The fine shall be:
15	Up to 5 feet \$50
16	Over 5 feet and up to 10 feet <u>\$</u> 100
17	Over 10 feet and up to 15 feet <u>\$</u> 150
18	Over 15 feet <u>\$</u> 200
19	For the purposes of this section, "person" means the driver
20	of the vehicle unless the driver is an employee in the scope and
21	course of employment, in which case "person" means the employer

- 1 of the driver. In the case of the transportation of a sealed
- 2 container or transportation by flat track, "person" means:
- 3 (1) The individual or company the cargo is consigned to;
- **4** or
- 5 (2) The individual or company located in the State
- **6** shipping the cargo.
- 7 The consignee or the shipper shall not be cited if the power
- 8 units' drive axle group is overweight, and the weight is not
- 9 more than that allowed for a tandem axle with any applicable
- 10 tolerances.
- 11 All penalties imposed and collected for violations of
- 12 sections 291-33 to 291-36, except 291-35.1, shall be paid into
- 13 the state highway fund.
- 14 The department of transportation shall institute a system
- 15 where the fine, based on the tables in this subsection, may be
- 16 mailed in when the citation or penalty is not to be contested.
- 17 This system shall include an [ability] opportunity for the owner
- 18 of the vehicle or combination of vehicles to request that the
- 19 operator be held harmless and the citation be transferred to
- 20 that owner of the vehicle or combination of vehicles.
- 21 (b) When a vehicle or combination of vehicles including
- 22 load is found to be in violation of any provision contained in



5

- 1 sections 291-33 to 291-36, except 291-35.1, and the operator of
- 2 such vehicle or combination of vehicles is a subordinate or
- 3 employee, the courts shall take judicial notice of this relative
- 4 subordinate position and, conditions warranting, hold the
- 5 operator harmless and impose the applicable penalties against
- 6 the owner of the vehicle or combination of vehicles.
- 7 [The] (c) For the purposes of this chapter, "the owner of
- 8 the vehicle or combination of vehicles" shall mean persons or
- 9 officers of firms or corporations[7] who [ewns] own the
- 10 transporting vehicle or who [operates] operate the vehicle under
- 11 a bona fide lease agreement."
- 12 SECTION 3. This Act does not affect rights and duties that
- 13 matured, penalties that were incurred, and proceedings that were
- 14 begun before its effective date.
- 15 SECTION 4. Statutory material to be repealed is bracketed
- 16 and stricken. New statutory material is underscored.
- 17 SECTION 5. This Act shall take effect upon its approval.

Report Title:

Motor Vehicles; Bumper Height; Penalties

Description:

Establishes a penalty for persons who violate the maximum bumper height requirements of section 291-35.1, Hawaii Revised Statutes. Amends section 291-35.1, Hawaii Revised Statutes, to prohibit a person from operating a motor vehicle upon a public roadway with a bumper height in excess of the maximum bumper height requirements. (HB2617 HD1)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.