..... 120

REQUESTING THE DEPARTMENT OF HEALTH TO DEVELOP AN ACTION PLAN TO

SENATE RESOLUTION

ELIMINATE DIESEL CREMATORS IN THE STATE.

WHEREAS, diesel emissions are more toxic and contain more pollutants as compared to those from natural gas and propane; and

4 5

1

2

3

WHEREAS, diesel cremators using diesel fuel for their primary burners have higher and more toxic emissions than those fueled from other sources; and

7 8 9

10

6

WHEREAS, three crematoriums that operate in the State use diesel-fueled cremators, while all others use natural gas-fueled or propane cremators; and

11 12 13

WHEREAS, operators of diesel applications continue to lag behind clean air technology advances due to the lack of offered upgrade incentives; and

15 16 17

14

WHEREAS, some diesel cremators used in the State have been in use for over a hundred years; and

18 19 20

21 22 WHEREAS, compared to modern cremators, old diesel cremators do not have automated features for temperature control, damper systems, and opacity sensors to effectively control the burn needed for clean output of emissions; and

232425

26

27

WHEREAS, fifty per cent of Oahu's cremations are processed by a diesel cremator and such high volume operations should use the currently best available technology for clean air and emissions; and

28 29 30

31

32

WHEREAS, areas surrounding diesel cremators have changed in usage over the past years, becoming more populated with residences, schools, and health care institutions; and

a two year time-frame; and

Will Eyeno Husel That Rosel Pula Rosely & Bel

WHEREAS, currently diesel cremators are only built for use in developing countries, with all new United States cremators built to operate using natural gas or propane; now, therefore,

BE IT RESOLVED by the Senate of the Twenty-seventh
Legislature of the State of Hawaii, Regular Session of 2013, that the Department of Health is requested to develop an action

plan to eliminate diesel cremator usage within the state within

9 10 11

12

15

8

BE IT FURTHER RESOLVED that certified copies of this Resolution be transmitted to the Director of Health.

13 14

OFFERED BY: ENTANN Chun auland

July-

SR HMS 2013-1948