STAND. COM. REP. NO. 592 -22

Honolulu, Hawaii

FEB 18 ' 2022

RE: H.B. No. 2515

H.D. 2

Honorable Scott K. Saiki Speaker, House of Representatives Thirty-First State Legislature Regular Session of 2022 State of Hawaii

Sir:

Your Committee on Consumer Protection & Commerce, to which was referred H.B. No. 2515, H.D. 1, entitled:

"A BILL FOR AN ACT RELATING TO THE DEPARTMENT OF HEALTH,"

begs leave to report as follows:

The purpose of this measure is to require the Department of Health to establish and operate a laboratory capable of testing for diseases, air and water quality issues, and other high complexity testing.

Your Committee received testimony in support of this measure from the Department of Health, Honolulu Board of Water Supply, and one individual. Your Committee received testimony in opposition to this measure from one individual. Your Committee received comments on this measure from the Department of Budget and Finance.

Your Committee finds that the existing state laboratory building is approximately twenty-seven years old. Due to its age, the central heating, ventilation, and air conditioning system is susceptible to periodic failure, which requires that laboratory tests cease until repairs are made.

Your Committee further finds that existing testing demand is substantially greater than the demand the existing state

laboratory was envisioned and planned to serve. For example, tests of samples from drivers suspected of operating a vehicle under the influence of an intoxicant and tests of water samples to assure the water is safe for consumption were not considered in the design of the existing facility. Additionally, the scale and manner of infectious disease testing today is much different than what was considered in the design of the existing facility. This measure will ensure that the State is equipped with the facilities necessary to meet the State's existing and foreseeable future testing demands.

Your Committee has amended this measure by:

- (1) Changing the effective date to January 1, 2050, to encourage further discussion; and
- (2) Making a technical, nonsubstantive amendment for the purposes of clarity, consistency, and style.

As affirmed by the record of votes of the members of your Committee on Consumer Protection & Commerce that is attached to this report, your Committee is in accord with the intent and purpose of H.B. No. 2515, H.D. 1, as amended herein, and recommends that it be referred to your Committee on Finance in the form attached hereto as H.B. No. 2515, H.D. 2.

Respectfully submitted on behalf of the members of the Committee on Consumer Protection & Commerce,

AARON DANG JOHANSON, Chair

State of Hawaii House of Representatives The Thirty-first Legislature

HSCR 592-22

Record of Votes of the Committee on Consumer Protection & Commerce

Bill/Resolution No.:	Committee Referral:	i i	Date:	
HB 2515, HD1	HHH/EEP,	CPG, FIN	2-16-22	-
☐ The committee is reconsidering its previous decision on the measure.				
The recommendation is to: Pass, unamended (as is) Pass, with amendments (HD) Hold Pass short form bill with HD to recommit for future public hearing (recommit)				
CPC Members	Ayes	Ayes (WR)	Nays	Excused
1. JOHANSON, Aaron Ling (C)	V			
2. KITAGAWA, Lisa (VC)				Mile 1,844 AUGUSTAN
3. AQUINO, Henry J.C.				
4 HAD Character				
4. HAR, Sharon E.				
5. HASHEM, Mark J.		e seletik.		
6. KONG, Sam Satoru	\	a called the about an amount	و به نواید و در این	and the second of the second o
7. MIZUNO, John M.	V			The second secon
8. MORIKAWA, Dee				
O ONICHI Dishard II V				
9. ONISHI, Richard H.K.				
10. TARNAS, David A.			. :	
NAME OF THE PROPERTY OF THE PR				
11. MATSUMOTO, Lauren		and the second section of the second	n dan er skriver min menne er men kleise er er er til helle er be	· · · · · · · · · · · · · · · · · · ·
				ļ
TOTAL (11)	- 11	0	0	Ò
The recommendation is: Adopted If joint referral, did not support recommendation. committee acronym(s)				
Vice Chair's or designee's signature:				
Distribution: Original (White) – Committee Duplicate (Yellow) – Chief Clerk's Office Duplicate (Pink) – HMSO				