

HOUSE OF REPRESENTATIVES
THE THIRTY-FIRST LEGISLATURE
REGULAR SESSION OF 2022

COMMITTEE ON HEALTH, HUMAN SERVICES, & HOMELESSNESS

Rep. Ryan I. Yamane, Chair
Rep. Adrian K. Tam, Vice Chair

Rep. Cedric Asuega Gates Rep. Scott Y. Nishimoto
Rep. Sharon E. Har Rep. Gene Ward
Rep. Jeanne Kapela

COMMITTEE ON ENERGY & ENVIRONMENTAL PROTECTION

Rep. Nicole E. Lowen, Chair
Rep. Lisa Marten, Vice Chair

Rep. Mark J. Hashem Rep. Chris Todd
Rep. Scot Z. Matayoshi Rep. James Kunane Tokioka
Rep. Amy A. Perruso Rep. Lauren Matsumoto

NOTICE OF HEARING

DATE: Tuesday, February 8, 2022
TIME: 11:00AM
PLACE: VIA VIDEOCONFERENCE
 Conference Room 329
 State Capitol
 415 South Beretania Street

THE STATE CAPITOL IS CLOSED TO THE PUBLIC DURING THE ONGOING COVID-19 PANDEMIC

Please note that the committee members will participate remotely via videoconference.

Click [here](#) to submit testimony and to testify remotely.

A live stream link of all House Standing Committee meetings will be available online shortly before the scheduled start time.

Click [here](#) for the live stream of this meeting via YouTube.

Click [here](#) for select hearings broadcast live on 'Ōlelo Community Media for cable TV.

A G E N D A

[HB 2514](#)
[Status](#)

RELATING TO UNDERGROUND STORAGE TANKS.
Requires the Department of Health to adopt the standard that all underground storage tanks not exceed a maximum capacity of 100,000 gallons.

HHH/EEP, CPC



[HB 2515](#)
[Status](#)

RELATING TO THE DEPARTMENT OF HEALTH.
Requires the Department of Health to establish and operate a laboratory capable of testing for diseases and air and water quality issues and other high complexity testing. Appropriates moneys.

HHH/EEP, CPC,
FIN

[HB 1954](#)
[Status](#)

MAKING AN EMERGENCY APPROPRIATION TO FUND A GRANT TO THE BOARD OF WATER SUPPLY FOR EMERGENCY OPERATIONS, FUTURE PLANNING, AND GROUND WATER REMEDIATION.
Makes an emergency appropriation to the leaking underground storage tank fund to fund a grant to the Oahu Board of Water Supply for emergency operations, future planning, and remediation resulting from the contamination of the Southern Oahu Basal Aquifer; provided that the Department of Health seeks to enter into a memorandum of understanding with the United States Navy to reimburse the Department of Health for the full amount of the appropriation.

HHH/EEP, WAL,
FIN

[HB 2274](#)
[Status](#)

RELATING TO UNDERGROUND FUEL STORAGE TANKS.
Prohibits issuance of future underground fuel storage tanks within one-half mile of an aquifer beginning July 1, 2022. Prohibits operation of and renewal of underground fuel storage tank permits located within one-half mile from an aquifer beginning January 1, 2050. Defines underground fuel storage tanks as any fuel tank with a capacity of one hundred gallons or more.

HHH/EEP, CPC

DECISION MAKING TO FOLLOW

Persons wishing to offer comments should submit testimony at least **24 hours** prior to the hearing. Testimony received after this time will be stamped late and left to the discretion of the chair to consider. While every effort will be made to incorporate all testimony received, materials received on the day of the hearing or improperly identified or directed, may not be processed.

Testimony submitted will be placed on the legislative website. This public posting of testimony on the website should be considered when including personal information in your testimony.

The chair will institute a two-minute per-testifier time limit.

Committees meeting in the morning must adjourn prior to the day's Floor Session. Therefore, due to time constraints, not all testifiers may be provided an opportunity to offer verbal comments. However, remote testifiers' written submissions will be considered by the committee.

Please refrain from profanity or uncivil behavior. Violations may result in ejection from the hearing without the ability to rejoin.

The House will not be responsible for bad connections on the testifier's end.

For general help navigating the committee hearing process, please contact the Public Access Room at (808) 587-0478 or par@capitol.hawaii.gov.

The cable TV broadcast and/or live stream of this meeting will include closed captioning. If you require other auxiliary aids or services to participate in the public hearing process (i.e. interpretive services (oral or written) or ASL interpreter) or are unable to submit testimony via the website due to a disability, please contact the committee clerk at least 24 hours prior to the hearing so that arrangements can be made.



Click [here](#) for a complete list of House Guidelines for public testimony.

FOR AMENDED NOTICES: Measures that have been deleted are stricken through and measures that have been added are bolded.

For more information, please contact the Committee Clerk at 586-6150

Rep. Nicole E. Lowen
Chair

Rep. Ryan I. Yamane
Chair

