

1 § -2 **Requirement to install and maintain automated**
2 **external defibrillators in state buildings.** (a) No later than
3 January 1, 2025, the department shall install in every state
4 building:

5 (1) At least one automated external defibrillator placed
6 on each floor, accessible to employees of the state
7 agencies listed in section -4 and the public
8 visiting those agencies' facilities; and

9 (2) Appropriate signage posted to indicate the location of
10 each automated external defibrillator.

11 (b) The department shall notify emergency services
12 providers, as defined under section 78-52, of the existence,
13 location, and type of each automated external defibrillator
14 installed in a state building.

15 (c) This section shall not apply to state buildings where
16 the lease agreement specifically prohibits automated external
17 defibrillators.

18 § -3 **Administering agency.** The department shall
19 administer the provisions of this chapter and adopt rules,
20 exempt from chapter 91, necessary to carry out the purposes of
21 this chapter.



1 **§ -4 Training.** (a) The department shall provide
2 training on the use of automated external defibrillators for all
3 of its employees and the employees and security staff of the:

- 4 (1) Office of the governor;
5 (2) Office of the lieutenant governor;
6 (3) State legislature;
7 (4) Department of education;
8 (5) Department of law enforcement; and
9 (6) Department of corrections and rehabilitation,

10 in accordance with the standards of the American Heart
11 Association, the American National Red Cross, or any similar
12 certificate-issuing organization.

13 (b) The department may contract for or procure as
14 necessary the services of another public or private entity to
15 assist with the training required under this section.

16 (c) Each state agency listed in subsection (a) shall
17 provide to the department the names and electronic mail
18 addresses of those state employees required to take the
19 applicable training and shall assist the department by providing
20 adequate meeting facilities, equipment, and technical support as
21 needed for the training.



1 § -5 **Maintenance.** The department shall conduct periodic
 2 inspections of all automated external defibrillators to ensure
 3 that they are maintained in an operative condition and are
 4 replaced or repaired when defective in accordance with the
 5 operation and maintenance guidelines established by the
 6 manufacturer.

7 § -6 **Exception to liability.** Any person who administers
 8 an automated external defibrillator installed or maintained
 9 pursuant to this chapter shall be subject to section 663-1.5(e),
 10 and the protections provided thereunder."

11 SECTION 2. There is appropriated out of the general
 12 revenues of the State of Hawaii the sum of \$ or so
 13 much thereof as may be necessary for fiscal year 2024-2025 for
 14 the installation and maintenance of automated external
 15 defibrillators in state buildings pursuant to this Act.

16 The sum appropriated shall be expended by the department of
 17 accounting and general services for the purposes of this Act.

18 SECTION 3. There is appropriated out of the general
 19 revenues of the State of Hawaii the sum of \$ or so
 20 much thereof as may be necessary for fiscal year 2024-2025 for
 21 the department of accounting and general services to provide

1 training on the use of automated external defibrillators in
2 state buildings pursuant to this Act.

3 The sum appropriated shall be expended by the department of
4 accounting and general services for the purposes of this Act.

5 SECTION 4. In accordance with section 9 of article VII of
6 the Hawaii State Constitution and sections 37-91 and 37-93,
7 Hawaii Revised Statutes, the legislature has determined that the
8 appropriations contained in H.B. No. , will cause the state
9 general fund expenditure ceiling for fiscal year 2024-2025 to be
10 exceeded by \$ or per cent. In addition, the
11 appropriation contained in this Act will cause the general fund
12 expenditure ceiling for fiscal year 2024-2025 to be further
13 exceeded by \$ or per cent. The combined total
14 amount of general fund appropriations contained in only these
15 two Acts will cause the state general fund expenditure ceiling
16 for fiscal year 2024-2025 to be exceeded by
17 \$ or per cent. The reasons for exceeding the
18 general fund expenditure ceiling are that:

- 19 (1) The appropriation made in this Act is necessary to
20 serve the public interest; and



1 (2) The appropriation made in this Act meets the needs
2 addressed by this Act.

3 SECTION 5. This Act shall take effect on July 1, 3000.



H.B. NO. 2330 H.D. 1

Report Title:

DAGS; Automated External Defibrillators; State Buildings;
Training; Appropriation

Description:

No later than January 1, 2025, requires the Department of Accounting and General Services to install and maintain automated external defibrillators in certain state buildings. Requires the Department of Accounting and General Services to provide trainings on the use of automated external defibrillators for certain state employees and security staff. Appropriates funds. Effective 7/1/3000. (HD1)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.

2024-1159 HB2330 HD1 HMSO

