A BILL FOR AN ACT

RELATING TO WINDSHIELD TINTING.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

- 1 SECTION 1. The legislature finds that darker tints on car 2 windows have a measurable impact on reducing heat trapped in a 3 car's interior. The legislature additionally finds that the current light transmittance limit of thirty-five per cent for 4 5 glazing on car windows is inadequate to address the increased temperatures caused by climate change. 6
- 7 The purpose of this Act is to:
- 8 Prohibit a person from installing, mounting, adhering, 9 affixing, or using any sun screening device in 10 conjunction with the glazing material of a motor 11 vehicle with mirrored, metallic, red, yellow, amber, 12 or blue tint;
- 13 (2) Require all drivers and passengers of motor vehicles 14 with applied tint to fully roll down their windows 15 when stopped by a law enforcement officer at a traffic 16 stop;

1	(3)	Exempt side windows to the rear of the driver and rear
2		windows on sedans from sun screening device
3		requirements; and
4	(4)	Increase the minimum and maximum fines for violating
5		sun screening device requirements.
6	SECT	ION 2. Section 291-21.5, Hawaii Revised Statutes, is
7	amended t	o read as follows:
8	"§ 29	1-21.5 Regulation of motor vehicle sun screening
9	devices;	penalty. (a) No person shall operate, permit the
10	operation	of, cause to be operated, or park any motor vehicle on
11	a public	highway if the glazing material of the motor vehicle:
12	(1)	Does not meet the requirements of the Federal Motor
13		Vehicle Safety Standards 205 in effect at the time of
14		its manufacture; or
15	(2)	Is used in conjunction with sun screening devices not
16		exempted from this section by subsection $[\frac{d}{hereof}]$
17		(e).
18	(b)	No person shall install, mount, adhere, affix, or use
19	any sun s	creening device or combination of devices in
20	conjuncti	on with the glazing material of a motor vehicle
21	[which]:	

1	<u>(1)</u>	That does not meet the requirements of the Federal
2		Motor Vehicle Safety Standards 205 in effect at the
3		time of the glazing material's manufacture except as
4		provided in this section[-]; and
5	(2)	With mirrored, metallic, red, yellow, amber, or blue
6		tint.
7	Any	person who violates this section shall be liable for
8	the remov	al of any sun screening device applied contrary to this
9	section.	
10	(c)	A safety inspection required under section [286-25]
11	<u>286-26</u> sh	all include a test to ensure that the glazing material
12	and any s	un screening devices meet the requirements specified in
13	this section.	
14	(d)	Notwithstanding subsection (e), all drivers and
15	passenger	s of motor vehicles with applied tint shall fully roll
16	down thei	r windows when stopped by a law enforcement officer at
17	a traffic	stop.
18	[(d)] <u>(e)</u> This section shall not apply to:
19	(1)	Rearview mirrors;

H.B. NO. H.D. 3

1	(2)	Adjustable nontransparent sun visors [which] that are
2		mounted forward of the side windows and are not
3		attached to the glazing material;

- (3) Signs, stickers, or other materials [which] that are displayed in a seven-inch square in the lower corner of the windshield farthest removed from the driver or signs, stickers, or other materials [which] that are displayed in a five-inch square in the lower corner of the windshield nearest the driver;
- (4) Rear trunk lid handle or hinges;
- (5) Window wipers and window wiper motors;
- (6) Transparent sun screening film materials [which] that are installed, affixed, or applied along the top edge of the windshield so long as [such] the materials do not encroach upon the AS-1 portion of the windshield as provided by Federal Motor Vehicle Safety Standard 205 or no lower than four inches below the top of the windshield, when measured from the middle point of the bottom edge of the top windshield moulding if no AS-1 markings can be found in the left or right upper margin of the windshield;

1	(/)	Sun screening devices for front side wing vents and
2		windows [which,] that, when used in conjunction with
3		the glazing material, have a light transmittance of no
4		less than thirty-five per cent plus or minus six per
5		cent;
6	(8)	Sun screening devices for side windows necessary for
7		driving visibility [which] that are to the rear of the
8		driver and for rear windows necessary for driving
9		visibility [which,] that, when used in conjunction
10		with the glazing material, have a light transmittance
11		of no less than thirty-five per cent plus or minus six
12		per cent;
13	(9)	Side windows [which] that are to the rear of the
14		driver and rear windows on sedans, vans, minivans,
15		trucks, or buses; provided that the vehicles are
16		equipped with rearview mirrors on both sides;
17	(10)	Privacy drapes, curtains, or blinds, or any
18		combination, installed on the interior of motor homes;
19		or
20	(11)	Transparent sun screening materials, when applied to

the AS-1 portion of the windshield, [which meets] that

21

1		meet the requirements of Federal Motor Venicle Safety
2		Standard 205.
3	[(e)] (f) Any person who violates this section shall be
4	fined:	
5	(1)	[Not] No less than [$$250$] $$300$ [or] and no more than
6		[\$500] $$550$ for each separate offense if the person is
7		the owner of the motor vehicle [which] that is in
8		violation; and
9	(2)	[Not] No less than [\$500 nor] \$700 and no more than
10		[\$1,000] $$1,200$ for each separate offense if the
11		person or business entity is the installer of any sun
12		screening device [which] that does not meet the
13		requirements of this section. The installer shall
14		also reinstall sun protective devices [which] that
15		comply with this section, free of charge, or reimburse
16		the motor vehicle owner for the cost of installing sun
17		protective devices by another installer [which] that
18		comply with this section.
19	The recei	pt from the installer in the possession of the person
20	in the mo	tor vehicle at the time of the issuance of the citation
21	shall be	prima facie evidence of the identity of the installer.

- 1 The installer shall issue a certificate to the vehicle owner at
- 2 the time the sunscreen device is installed certifying that the
- 3 device complies with law. The certificate shall be stored in
- 4 the motor vehicle at all times."
- 5 SECTION 3. Statutory material to be repealed is bracketed
- 6 and stricken. New statutory material is underscored.
- 7 SECTION 4. This Act shall take effect on July 1, 3000.

Report Title:

Motor Vehicles; Window Glazing; Levels; Sun Screening Devices; Fines

Description:

Prohibits a person from installing, mounting, adhering, affixing, or using any sun screening device in conjunction with the glazing material of a motor vehicle with mirrored, metallic, red, yellow, amber, or blue tint. Requires all drivers and passengers of motor vehicles with applied tint to fully roll down their windows when stopped by a law enforcement officer at a traffic stop. Exempts side windows to the rear of the driver and rear windows on sedans from sun screening device requirements. Increases the minimum and maximum fines for violating sun screening device requirements. Effective 7/1/3000. (SD1)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.