A BILL FOR AN ACT

RELATING TO THE UNIFORM CONTROLLED SUBSTANCE ACT.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

1 SECTION 1. Section 329-14, Hawaii Revised Statutes, is 2 amended as follows: 3 1. By amending subsection (b) to read: 4 "(b) [Any] Opiates. Unless specifically excepted or 5 unless listed in another schedule, any of the following opiates, 6 including their isomers, esters, ethers, salts, and salts of 7 isomers, esters, and ethers, [unless specifically excepted,] 8 whenever the existence of these isomers, esters, ethers, and salts is possible within the specific chemical designation: 9 10 Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-(1)phenethyl) -4-piperidinyl] -N-phenylacetamide); 11 12 (2) Acetylmethadol; 13 Acetyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-(3) 14 phenylacetamide), its optical, positional, and 15 geometric isomers, salts, and salts of isomers; 16 Acryl fentanyl [N-(1-phenethylpiperidin-4-yl)-N-(4)17 phenylacrylamide] (Other name: acryloylfentanyl);

```
1
          (5)
                AH-7921 (3,4-dichloro-N-[(1-
2
                dimethylamino)cyclohexylmethyl]benzamide);
 3
          (6)
                Allylprodine;
 4
          (7)
                Alphacetylmethadol (except levo-alphacetylmethadol,
 5
                levomethadyl acetate, or LAAM);
 6
          (8)
                Alphameprodine;
 7
          (9)
                Alphamethadol;
8
         (10)
                Alpha'-methyl butyryl fentanyl (2-methyl-N-(1-
 9
                phenethylpiperidin-4-yl)-N-phenylbutanamide);
10
        [\frac{(10)}{(11)}] (11) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-
                phenyl)ethyl-4-piperidyl]propionanilide; 1-(1-methyl-
11
12
                2-phenylethyl)-4-(N-propanilido)piperidine);
13
        [\frac{(11)}{(11)}] (12) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-
14
                thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
15
        \left[\frac{(12)}{(13)}\right] (13) Benzethidine;
16
        [\frac{(13)}{(14)}] (14) Benzylfentanyl (N-[1-benzyl-4-piperidyl]-N-
17
                phenylpropanamide), its optical isomers, salts, and
18
                salts of isomers;
19
        \left[\frac{(14)}{(15)}\right] (15) Betacetylmethadol;
        [\frac{(15)}{(16)}] (16) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-
20
21
                phenethyl)-4-piperidinyl]-N-phenylpropanamide);
```

```
1
        [\frac{(16)}{(17)}] (17) Beta-hydroxy-3-methylfentanyl (N-[1-(2-hydroxy-
 2
                2-phenethyl)-3-methyl-4-piperidinyl]-N-
 3
                phenylpropanamide);
 4
        [\frac{(17)}{(18)}] Beta-hydroxythiofentanyl (N-[1-[2-hydroxy-2-
 5
                (thiophen-2-yl)ethyl]piperidin-4-yl]-N-
 6
                phenylpropionamide);
 7
        [\frac{(18)}{(19)}] (19) Betameprodine;
 8
        [\frac{(19)}{(20)}] (20) Betamethadol;
 9
        [\frac{(20)}{(20)}] (21) Beta-methyl fentanyl (N-phenyl-N-(1-(2-
10
                phenylpropyl)piperidin-4-yl)propionamide) (Other name:
11
                [beta] -methyl fentanyl);
12
        [\frac{(21)}{2}] Beta'-phenyl fentanyl (N-(1-phenethylpiperidin-
13
                4-yl)-N,3-diphenylpropanamide) (Other names: [beta]'-
14
               phenyl fentanyl; 3-phenylpropanoyl fentanyl);
15
        [<del>(22)</del>] (23) Betaprodine;
16
         (24)
               Brorphine (1-(1-(4-bromophenyl)ethyl)piperidin-4-
17
               yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one);
18
         (25)
               Butonitazene (2-(4-butoxybenzyl)-5-nitro-1H-
19
               benzimidazol-1-yl)-N, N-diethylethan-1-amine);
20
        [\frac{(23)}{(26)}] (26) Butyryl fentanyl (N-(1-phenethylpiperidin-4-yl)-
21
               N-phenylbutyramide);
```

```
1
         \left[\frac{(24)}{}\right] (27) Clonitazene;
 2
          (28) Crotonyl fentanyl ((E)-N-(1-phenethylpiperidin-4-yl)-
 3
                 N-phenylbut-2-enamide);
 4
          (29) Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
 5
                 phenylcyclopentanecarboxamide);
 6
         [\frac{(25)}{(25)}] (30) Cyclopropyl fentanyl (N-(1-phenethylpiperidin-4-
 7
                 yl)-N-phenylcyclopropanecarboxamide);
 8
         [\frac{(26)}{(26)}] (31) Dextromoramide;
 9
         \left[\frac{(27)}{(32)}\right] (32) Diampromide;
10
         [\frac{(28)}{(28)}] (33) Diethylthiambutene;
11
         \left[\frac{(29)}{(34)}\right] (34) Difenoxin;
12
         [(30)] (35) Dimenoxadol;
13
         [(31)] (36) Dimepheptanol;
14
         (37) 2',5'-dimethoxyfentanyl (N-(1-(2,5-
15
                 dimethoxyphenethyl)piperidin-4-yl)-N-
16
                 phenylpropionamide);
17
         [\frac{(32)}{(38)}] (38) Dimethylthiambutene;
18
         [\frac{(33)}{(39)}] (39) Dioxaphetyl butyrate;
19
        \left[\frac{(34)}{(40)}\right] (40) Dipipanone;
20
        [(35)] (41) Ethylmethylthiambutene;
```

```
1
         (42) Etodesnitazene (2-(2-(4-ethoxybenzyl)-1H-benzimidazol-
 2
                1-yl)-N, N-diethylethan-1-amine) (Other name:
 3
                etazene);
 4
        \left[\frac{(36)}{(36)}\right] (43) Etonitazene;
 5
        \left[\frac{(37)}{}\right] (44) Etoxeridine;
 6
        [(38)] (45) Fentanyl carbamate (ethyl (1-phenethylpiperidin-
 7
                4-yl) (phenyl) carbamate);
 8
         (46) Flunitazene (N,N-diethyl-2-(2-(4-fluorobenzyl)-5-
 9
                nitro-1H-benzimidazol-1-yl)ethan-1-amine);
10
        [\frac{(39)}{(39)}] (47) 4-fluoroisobutyryl fentanyl [N-(4-fluorophenyl)-
11
                N-(1-phenethylpiperidin-4-yl)isobutyramide] (Other
12
                name: para-fluoroisobutyryl fentanyl);
13
        \left(\frac{(40)}{(40)}\right) (48) 2'-fluoro ortho-fluorofentanyl (N-(1-(2-
14
                fluorophenethyl)piperidin-4-yl)-N-(2-
                fluorophenyl)propionamide) (Other name: 2'-fluoro 2-
15
16
                fluorofentanyl);
17
        \left[\frac{41}{1}\right] (49) Furanyl fentanyl (N-(1-phenethylpiperidin-4-y1)-
18
                N-phenylfuran-2-carboxamide);
         (50) 3-furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
19
20
                phenylfuran-3-carboxamide);
21
        \left[\frac{(42)}{(51)}\right] (51) Furethidine;
```

```
1
        [(43)] (52) Hydroxypethidine;
 2
        (53) Isobutyryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
 3
               phenylisobutyramide);
 4
        (54)
               Isotonitazene (N,N-diethyl-2-(2-(4-isopropoxybenzyl)-
 5
               5-nitro-1H-benzimidazol-1-yl)ethan-1-amine);
 6
        (55) Isovaleryl fentanyl (3-methyl-N-(1-phenethylpiperidin-
 7
               4-yl)-N-phenylbutanamide);
 8
       [(44)] (56) Ketobemidone;
9
       [\frac{(45)}{(57)}] (57) Levomoramide;
10
       [\frac{(46)}{(58)}] (58) Levophenacylmorphan;
11
        (59) Meta-fluorofentanyl (N-(3-fluorophenyl)-N-(1-
12
               phenethylpiperidin-4-yl)propionamide);
13
        (60)
              Meta-fluoroisobutyryl fentanyl (N-(3-fluorophenyl)-N-
14
               (1-phenethylpiperidin-4-yl)isobutyramide);
15
       [(47)] (61) Methoxyacetyl fentanyl (2-methoxy-N-(1-
16
               phenethylpiperidin-4-yl)-N-phenylacetamide);
17
        (62) 2-methyl AP-237 (1-(2-methyl-4-(3-phenylprop-2-en-1-
18
               yl)piperazin-1-yl)butan-1-one);
19
       [(48)] (63) 4'-methyl acetyl fentanyl (N-(1-(4-
20
              methylphenethyl)piperidin-4-yl)-N-phenylacetamide);
```

```
1
        [(49)] (64) 3-methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-
 2
                4-piperidyl]-N-phenylpropanamide);
 3
        (50) (65) 3-methylthiofentanyl (N-[3-methyl-1-(2-
 4
                thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
 5
         (66)
               Metodesnitazene (N, N-diethyl-2-(2-(4-methoxybenzyl)-
 6
               1H-benzimidazol-1-yl)ethan-1-amine);
 7
               Metonitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-5-
         (67)
8
               nitro-1H-benzimidazol-1-yl)ethan-1-amine);
9
        \lceil \frac{(51)}{(51)} \rceil (68) Morpheridine;
10
        [\frac{(52)}{(52)}] (69) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
11
               MT-45 (1-cyclohexyl-4-(1,2-diphenylethyl)piperazine);
         (70)
12
        [\frac{(53)}{(71)}] (71) Noracymethadol;
13
        [\frac{(54)}{(72)}] (72) Norlevorphanol;
14
        [(55)] (73) Normethadone;
15
        [(56)] (74) Norpipanone;
16
         (75) N-pyrrolidino etonitazene (2-(4-ethoxybenzyl)-5-nitro-
17
               1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzimidazole) (Other
18
               name: etonitazepyne);
        [\frac{(57)}{(57)}] (76) Ocfentanil [N-(2-fluorophenyl)-2-methoxy-N-(1-fluorophenyl)]
19
20
               phenethylpiperidin-4-yl)acetamide];
```

S.B. NO. 1452 S.D. 1 H.D. 2

```
\lceil \frac{(58)}{(58)} \rceil (77) Ortho-fluoroacryl fentanyl (N-(2-fluorophenyl)-
 1
 2
                N-(1-phenethylpiperidin-4-yl)acrylamide);
        [\frac{(59)}{(78)}] (78) Ortho-fluorobutyryl fentanyl (N-(2-
 3
                fluorophenyl) -N-(1-phenethylpiperidin-4-yl)butyramide)
 4
                (Other name: 2-fluorobutyryl fentanyl);
 5
 6
        \lceil \frac{(60)}{(60)} \rceil (79) Ortho-fluorofentanyl (N-(2-fluorophenyl)-N-(1-
                phenethylpiperidin-4-yl)propionamide) (Other name: 2-
 7
 8
                fluorofentanyl);
                Ortho-fluorofuranyl fentanyl (N-(2-fluorophenyl)-N-(1-
 9
         (80)
10
                phenethylpiperidin-4-yl)furan-2-carboxamide);
        [\frac{(61)}{(81)}] (81) Ortho-fluoroisobutyryl fentanyl (N-(2-
11
12
                fluorophenyl)-N-(1-phenethylpiperidin-4-
13
                yl)isobutyramide);
14
        [\frac{(62)}{(82)}] (82) Ortho-methyl acetylfentanyl (N-(2-methylphenyl)-
                N-(1-phenethylpiperidin-4-yl)acetamide) (Other name:
15
16
                2-methyl acetylfentanyl);
        [\frac{(63)}{(63)}] (83) Ortho-methyl methoxyacetyl fentanyl (2-methoxy-
17
                N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-
18
19
                yl)acetamide) (Other name: 2-methyl methoxyacetyl
20
                fentanyl);
```

```
1
         (84) Para-chloroisobutyryl fentanyl (N-(4-chlorophenyl)-N-
 2
               (1-phenethylpiperidin-4-yl)isobutyramide);
 3
        \left(\frac{(64)}{(64)}\right) (85) Para-fluorobutyryl fentanyl (N-(4-fluorophenyl)-
 4
               N-(1-phenethylpiperidin-4-yl)butyramide);
 5
        \left(\frac{(65)}{(65)}\right) (86) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-
 6
               phenethyl)-4-piperidinyl]propanamide(;));
 7
        [\frac{(66)}{(66)}] (87) Para-fluoro furanyl fentanyl (N-(4-
 8
                fluorophenyl) -N-(1-phenethylpiperidin-4-yl)furan-2-
 9
               carboxamide);
10
         (88)
               Para-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-
11
               (1-phenethylpiperidin-4-yl)butyramide);
12
         (89)
               Para-methoxyfuranyl fentanyl (N-(4-methoxyphenyl)-N-
13
               (1-phenethylpiperidin-4-yl) furan-2-carboxamide);
14
               Para-methylcyclopropyl fentanyl (N-(4-methylphenyl)-N-
        (90)
15
               (1-phenethylpiperidin-4-yl)cyclopropanecarboxamide);
16
        [+67+] (91) Para-methylfentanyl (N-(4-methylphenyl)-N-(1-
17
               phenethylpiperidin-4-yl)propionamide) (Other name: 4-
18
               methylfentanyl);
19
        [(68)] (92) PEPAP (1-(-2-phenethyl)-4-phenyl-4-
20
               acetoxypiperidine);
21
        [\frac{(69)}{}] (93)
                      Phenadoxone;
```

S.B. NO. S.D. 1 H.D. 2

```
1
         [\frac{(70)}{(94)}] (94) Phenampromide;
 2
         \left[\frac{71}{1}\right] (95) Phenomorphan;
 3
         \left[\frac{72}{72}\right] (96) Phenoperidine;
 4
         [\frac{(73)}{(73)}] (97) Phenyl fentanyl (N-(1-phenethylpiperidin-4-yl)-
 5
                  N-phenylbenzamide) (Other name: benzoyl fentanyl);
         \left[\frac{(74)}{}\right] (98) Piritramide;
 6
 7
         \left[\frac{(75)}{(75)}\right] (99) Proheptazine;
 8
         \left[\frac{(76)}{}\right] (100) Properidine;
 9
         \left[\frac{(77)}{}\right] (101) Propiram;
10
         (102) Protonitazene (N, N-diethyl-2-(5-nitro-2-(4-
11
                  propoxybenzyl) -1H-benzimidazol-1-yl) ethan-1-amine);
12
         \left[\frac{(78)}{(103)}\right] (103) Racemoramide;
13
         (104) Tetrahydrofuranyl fentanyl (N-(1-phenethylpiperidin-4-
14
                  yl) -N-phenyltetrahydrofuran-2-carboxamide);
15
         [\frac{(79)}{1}] (105) Thenylfentanyl (N-[1-(2-thienyl)methyl-4-
16
                  piperidyl]-N-phenylpropanamide), its optical isomers,
17
                  salts, and salts of isomers;
18
         [(80)] (106) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-
19
                  piperidinyl]-propanamide);
```

```
1
       [\frac{(81)}{(81)}] (107) Thiofuranyl fentanyl (N-(1-phenethylpiperidin-
              4-yl)-N-phenylthiophene-2-carboxamide) (Other names:
2
              2-thiofuranyl fentanyl; thiophene fentanyl);
3
4
       [\frac{(82)}{(108)}] (108) Tilidine;
5
       [(83)] (109) Trimeperidine; [and]
       [(84)] (110) U-47700 (3,4-dichloro-N-[2-
6
               (dimethylamino)cyclohexyl]-N-methylbenzamide)[-; and
7
       (111) Valeryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
8
9
              phenylpentanamide)."
         2. By amending subsection (d) to read:
10
               Hallucinogenic substances. Unless specifically
11
         "(d)
12
    excepted or unless listed in another schedule, any material,
    compound, mixture, or preparation that contains any quantity of
13
14
    the following hallucinogenic substances, including their salts,
    isomers, and salts of isomers, whenever the existence of these
15
16
    salts, isomers, and salts of isomers is possible within the
17
    specific chemical designation:
              Alpha-ethyltryptamine (AET);
18
         (1)
19
         (2)
              2,5-dimethoxy-4-ethylamphetamine (DOET);
20
              2,5-dimethoxyamphetamine (2,5-DMA);
         (3)
21
         (4)
              3,4-methylenedioxy amphetamine;
```

S.B. NO. 5.D. 1 H.D. 2

```
1
               3,4-methylenedioxymethamphetamine (MDMA);
         (5)
 2
               N-hydroxy-3,4-methylenedioxyamphetamine (N-hydroxy-
         (6)
 3
              MDA);
 4
         (7)
               3,4-methylenedioxy-N-ethylamphetamine (MDE);
 5
               5-methoxy-3,4-methylenedioxy-amphetamine;
         (8)
 6
         (9)
               4-bromo-2,5-dimethoxy-amphetamine (4-bromo-2,5-DMA);
 7
               4-Bromo-2,5-dimethoxyphenethylamine (Nexus);
        (10)
 8
        (11)
              3,4,5-trimethoxy amphetamine;
9
        (12)
              Bufotenine;
10
               4-methoxyamphetamine (PMA);
        (13)
11
              Diethyltryptamine;
        (14)
12
        (15)
              Dimethyltryptamine;
13
              4-methyl-2,5-dimethoxy-amphetamine;
        (16)
14
              Gamma hydroxybutyrate (GHB) (some other names include
        (17)
15
              gamma hydroxybutyric acid; 4-hydroxybutyrate; 4-
16
              hydroxybutanoic acid; sodium oxybate; sodium
17
              oxybutyrate);
18
        (18)
              Ibogaine;
19
              Lysergic acid diethylamide;
        (19)
20
        (20)
              Marijuana;
21
        (21)
              Parahexyl;
```

```
1
        (22)
              Mescaline;
2
        (23)
              Peyote;
              N-ethyl-3-piperidyl benzilate;
3
        (24)
              N-methyl-3-piperidyl benzilate;
4
        (25)
5
        (26)
              Psilocybin;
6
              Psilocvn;
        (27)
              1-[1-(2-Thienyl) cyclohexyl] Pyrrolidine (TCPy);
7
        (28)
              Ethylamine analog of phencyclidine (PCE);
8
        (29)
9
        (30)
              Pyrrolidine analog of phencyclidine (PCPy, PHP);
              Thiophene analog of phencyclidine (TPCP; TCP);
10
        (31)
11
              Gamma-butyrolactone, including butyrolactone;
        (32)
12
              butyrolactone gamma; 4-butyrolactone; 2(3H)-furanone
13
              dihydro; dihydro-2(3H)furanone; tetrahydro-2-furanone;
14
              1,2-butanolide; 1,4-butanolide; 4-butanolide; gamma-
15
              hydroxybutyric acid lactone; 3-hydroxybutyric acid
16
              lactone and 4-hydroxybutanoic acid lactone with
17
              Chemical Abstract Service number 96-48-0 when any such
18
              substance is intended for human ingestion;
19
        (33)
              1,4 butanediol, including butanediol; butane-1,4-diol;
20
              1,4- butylenes glycol; butylene glycol; 1,4-
21
              dihydroxybutane; 1,4- tetramethylene glycol;
```

```
1
               tetramethylene glycol; tetramethylene 1,4- diol with
 2
               Chemical Abstract Service number 110-63-4 when any
 3
               such substance is intended for human ingestion;
 4
         (34)
               2,5-dimethoxy-4-(n)-propylthiophenethylamine (2C-T-7),
 5
               its optical isomers, salts, and salts of isomers;
 6
         (35)
              N-benzylpiperazine (BZP; 1-benzylpiperazine), its
 7
               optical isomers, salts, and salts of isomers;
 8
         (36)
               1-(3-trifluoromethylphenyl)piperazine (TFMPP), its
9
               optical isomers, salts, and salts of isomers;
10
        (37)
              Alpha-methyltryptamine (AMT);
11
               5-methoxy-N, N-diisopropyltryptamine (5-MeO-DIPT);
         (38)
12
              Salvia divinorum;
         (39)
13
              Salvinorin A;
        (40)
14
              Divinorin A;
        (41)
15
        (42)
              5-Methoxy-N, N-Dimethyltryptamine [<del>(5-MeO-DIPT)</del>] (some
16
              trade or other names: 5-methoxy-3-[2-
17
               (dimethylamino)ethyl]indole; 5-MeO-DMT);
18
        (43)
              2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
19
              2-(2,5-Dimethoxy-4-methylphenyl) ethanamine (2C-D);
        (44)
20
              2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
        (45)
21
        (46)
              2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);
```

```
1
        (47)
              2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-
 2
              2);
 3
        (48)
              2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine
 4
              (2C-T-4);
 5
        (49)
              2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
 6
              2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N);
        (50)
              2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
 7
        (51)
 8
              2-(4-iodo-2, 5-dimethoxyphenyl)-N-(2-
        (52)
 9
              methoxybenzyl) ethanamine, its optical, positional, and
              geometric isomers, salts, and salts of isomers (Other
10
11
                      25I-NBOMe; 2C-I-NBOMe; 25I; Cimbi-5);
              names:
12
              2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-
        (53)
13
              methoxybenzyl) ethanamine, its optical, positional, and
14
              geometric isomers, salts, and salts of isomers (Other
15
              names: 25C-NBOMe; 2C-C-NBOMe; 25C; Cimbi-82);
16
        (54)
              2-(4-bromo-2, 5-dimethoxyphenyl)-N-(2-
17
              methoxybenzyl) ethanamine, its optical, positional, and
18
              geometric isomers, salts, and salts of isomers (Other
19
                      25B-NBOMe; 2C-B-NBOMe; 25B; Cimbi-36);
20
        (55)
              N-ethylhexedrone, its optical, positional, and
21
              geometric isomers, salts, and salts of isomers (Other
```

```
1
                       [alpha]-ethylaminohexanophenone; 2-
              names:
 2
               (ethylamino) -1-phenylhexan-1-one);
 3
        (56)
              Alpha-pyrrolidinohexanophenone, its optical,
 4
              positional, and geometric isomers, salts, and salts of
 5
              isomers (Other names: [alpha]-PHP; [alpha]-
 6
              pyrrolidinohexanophenone; 1-phenyl-2-(pyrrolidin-1-
 7
              yl)hexan-1-one);
 8
        (57)
              4-methyl-alpha-ethylaminopentiophenone, its optical,
9
              positional, and geometric isomers, salts, and salts of
10
              isomers (Other names: 4-MEAP; 2-(ethylamino)-1-(4-
11
              methylphenyl)pentan-1-one);
12
              4'-methyl-alpha-pyrrolidinohexiophenone, its optical,
        (58)
13
              positional, and geometric isomers, salts, and salts of
14
              isomers (Other names: MPHP; 4'-methyl-alpha-
15
              pyrrolidinohexanophenone; 1-(4-methylphenyl)-2-
16
              (pyrrolidin-1-yl) hexan-1-one);
17
        (59)
              Alpha-pyrrolidinoheptaphenone, its optical,
18
              positional, and geometric isomers, salts, and salts of
19
              isomers (Other names: PV8; 1-phenyl-2-(pyrrolidin-1-
20
              yl)heptan-1-one);
```

```
1
        (60) 4'-chloro-alpha-pyrrolidinovalerophenone, its optical,
              positional, and geometric isomers, salts, and salts of
 2
              isomers (Other names: 4-chloro-[alpha]-PVP; 4'-
 3
               chloro-[alpha]-pyrrolidinopentiophenone; 1-(4-
 4
 5
              chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one); [and]
 6
              2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one
        (61)
 7
               (methoxetamine, MXE) [→];
 8
        (62)
              Eutylone (1-(1,3-benzodioxol-5-yl)-2-
 9
              (ethylamino)butan-1-one) (Other name: bk-EBDB);
10
              Zipeprol (1-methoxy-3-[4-(2-methoxy-2-
        (63)
11
              phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol),
12
              including its isomers, esters, ethers, salts, and
13
              salts of isomers, esters and ethers, whenever the
14
              existence of such isomers, esters, ethers and salts is
15
              possible within the specific chemical designation;
16
        (64)
              (1-pentyl-1H-indol-3-yl)(2,2,3,3-yl)
17
              tetramethylcyclopropyl)methanone (UR-144);
18
        (65) [1-(5-fluoro-pentyl)-1H-indol-3-yl](2,2,3,3-
19
              tetramethylcyclopropyl) methanone (5-fluoro-UR-144,
20
              XLR11);
```

```
1
         (66) N-(1-amino-3, 3-dimethyl-1-oxobutan-2-yl)-1-(4-
 2
               fluorobenzyl) -1H-indazole-3-carboxamide (Other name:
 3
               ADB-FUBINACA);
 4
        (67)
               Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-
 5
               carboxamido) - 3, 3 - dimethylbutanoate (Other names:
 6
               MDMB-CHMICA, MMB-CHMINACA);
 7
        (68)
               Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-
 8
               carboxamido) -3,3-dimethylbutanoate (Other name:
                                                                   MDMB-
 9
               FUBINACA); and
10
        (69)
               N-ethylpentylone (Other names: ephylone, 1-(1,3-
11
               benzodioxol-5-yl)-2-(ethylamino)pentan-1-one)."
12
          3. By amending subsection (f) to read:
13
          "(f)
                Stimulants. Unless specifically excepted or unless
14
    listed in another schedule, any material, compound, mixture, or
15
    preparation that contains any quantity of the following
16
    substances having a stimulant effect on the central nervous
    system, including its salts, isomers, and salts of isomers:
17
18
         (1)
               Amineptine (7-[(10,11-dihydro-5H-
19
               dibenzo[a,d]cyclohepten-5-yl)amino]heptanoic acid);
20
        \left[\frac{1}{1}\right] (2) Aminorex;
21
        \left[\frac{(2)}{(2)}\right] (3) Cathinone;
```

S.B. NO. 51452 S.D. 1 H.D. 2

```
[\frac{(3)}{(4)}] (4) 4,4'-dimethylaminorex (common name: 4,4'-DMAR);
1
                Ethylphenidate (ethyl 2-phenyl-2-(piperidin-2-
2
          (5)
3
                yl)acetate);
4
         [(4)] (6) Fenethylline;
                Mesocarb (N-phenyl-N'-(3-(1-phenylpropan-2-yl)-1,2,3-
5
          (7)
                oxadiazol-3-ium-5-yl) carbamimidate);
6
         \left[\frac{(5)}{(8)}\right] (8) Methcathinone;
 7
                Methiopropamine (N-methyl-1-(thiophen-2-yl)propan-2-
8
          (9)
9
                amine);
         \left[\frac{(6)}{(10)}\right] (10) 4-methylaminorex;
10
11
         \left[\frac{(7)}{(7)}\right] (11) N-ethylamphetamine;
12
         [\frac{(8)}{(12)}] (12) N, N-dimethylamphetamine;
         [\frac{(9)}{(13)}] (13) Substituted cathinones, any compound, except
13
14
                bupropion or compounds listed under a different
                schedule, structurally derived from 2-aminopropan-1-
15
16
                one by substitution at the 1-position with either
                phenyl, naphthyl, or thiophene ring systems, whether
17
                or not the compound is further modified in any of the
18
19
                following ways:
20
                     By substitution in the ring system to any extent
                (A)
21
                      with alkyl, alkylenedioxy, alkoxy, haloalkyl,
```

S.B. NO. 5.D. 1 H.D. 2

1	hydroxyl, or halide substituents, whether or not
2	further substituted in the ring system by one or
3	more other univalent substituents;
4	(B) By substitution at the 3-position with an acyclic
5	alkyl substituent; or
6	(C) By substitution at the 2-amino nitrogen atom with
7	alkyl, dialkyl, benzyl, or methoxybenzyl groups,
8	or by inclusion of the 2-amino nitrogen atom in a
9	cyclic structure.
10	Some other trade names: Mephedrone (2-methylamino-1-p-
11	tolylpropan-1-one), also known as 4-
12	methylmethcathinone (4-MMC), methylephedrone or MMCAT;
13	Methylenedioxypyrovalerone (MDPV, MDPK); methylone or
14	3,4-methylenedioxymethcathinone; and 1-
15	(benzo[d][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-one,
16	monohydrochloride, also known as Ethylone, bk-MDEA
17	hydrochloride, MDEC; 3,4-Methylenedioxy-N-
18	ethylcathinone; bk-Methylenedioxyethylamphetamine, 4-
19	methyl-N-ethylcathinone (4-MEC); 4-methyl-alpha-
20	pyrrolidinopropiophenone (4-MePPP); alpha-
21	<pre>pyrrolidinopentiophenone ([alpha]-PVP); 1-(1,3-</pre>

```
1
              benzodioxol-5-yl)-2-(methylamino)butan-1-one
 2
               (butylone, bk-MBDB e); 2-(methylamino)-1-phenylpentan-
 3
               1-one (pentedrone); 1-(1,3-benzodioxol-5-yl)-2-
               (methylamino) pentan-1-one (pentylone, bk-MBDP); 4-
 4
               fluoro-N-methylcathinone (4-FMC, flephedrone); 3-
 5
               fluoro-N-methylcathinone (3-FMC); 1-(naphthalen-2-yl)-
 6
 7
              2-(pyrrolidin-1-yl)pentan-1-one (naphyrone); alpha-
 8
              pyrrolidinobutiophenone ([alpha]-PBP) and their
9
              optical, positional, and geometric isomers, salts and
10
              salts of isomers, whenever the existence of such
11
              salts, isomers, and salts of isomers is possible; and
12
       [\frac{10}{10}] (14) 1-(4-methoxyphenyl)-N-methylpropan-2-amine
13
               (Other names: para-methoxymethamphetamine; PMMA)."
14
         SECTION 2. Section 329-16, Hawaii Revised Statutes, is
15
    amended by amending subsection (f) to read as follows:
16
         "(f)
               Immediate precursor. Unless specifically excepted or
17
    unless listed in another schedule, any material, compound,
18
    mixture, or preparation [which] that contains any quantity of
    the following substances:
19
20
              Immediate precursor to amphetamine and
21
              methamphetamine:
```

1		(A)	Phenylacetone, phenyl-2-propanone (P2P), benzyl	
2			methyl ketone, methyl benzyl ketone;	
3	(2)	Imme	diate precursors to phencyclidine (PCP):	
4		(A)	1-phenylcyclohexylamine; or	
5		(B)	1-piperidinocyclohexanecarbonitrile (PCC); or	
6	(3)	Imme	diate precursor to [Fentanyl:] fentanyl:	
7		(A)	[4-anilino-N-phenethyl-4-piperidine] 4-anilino-N	
8			<pre>phenethylpiperidine (ANPP); or</pre>	
9		(B)	N-phenyl-N-(piperidin-4-yl)propionamide	
10			(norfentanyl)."	
11	SECT	ION 3	. Section 329-20, Hawaii Revised Statutes, is	
12	amended to read as follows:			
13	"§32	9-20	Schedule IV. (a) The controlled substances	
14	listed in	this	section are included in schedule IV.	
15	(b)	Depr	essants. Unless specifically excepted or unless	
16	listed in	anot	her schedule, any material, compound, mixture, or	
17	preparation	on th	at contains any quantity of the following	
18	substances	s, in	cluding its salts, isomers, esters, ethers, and	
19	salts of :	isome	rs, whenever the existence of these isomers,	
20	esters, et	hers	, and salts is possible within the specific	
21	chemical o	desig	nation, that has a degree of danger or probable	

```
1
    danger associated with a depressant effect on the central
 2
    nervous system:
 3
         (1)
              Alprazolam;
 4
         (2) Barbital;
 5
         (3)
              Brexanolone;
 6
         (4)
              Bromazepam;
 7
         (5)
              Butorphanol;
8
         (6)
              Camazepam;
9
         (7)
              Carisoprodol;
10
         (8)
              Chloral betaine;
11
         (9)
              Chloral hydrate;
12
        (10)
              Chlordiazepoxide;
13
        (11) Clobazam;
14
        (12)
              Clonazepam;
15
        (13)
              Clorazepate;
16
        (14)
              Clotiazepam;
17
        (15)
              Cloxazolam;
18
        (16)
              Daridorexant;
19
        (17)
              Delorazepam;
20
        (18)
              Diazepam;
21
        (19)
              Dichloralphenazone (Midrin);
```

```
1
        (20)
               Estazolam;
2
        (21)
               Ethchlorvynol;
3
        (22)
              Ethinamate;
 4
               Ethyl loflazepate;
        (23)
5
        (24)
               Fludiazepam;
6
        (25)
               Flunitrazepam;
7
        (26)
               Flurazepam;
8
               Fospropofol (Lusedra);
        (27)
9
        (28)
              Halazepam;
10
        (29)
              Haloxazolam;
11
        (30)
              Ketazolam;
12
        (31)
              Lemborexant ((1R,2S)-2-[(2,4-dimethylpyrimidin-5-
13
               yl)oxymethyl]-2-(3-fluorophenyl)-N-(5-fluoropyridin-2-
14
               yl)cyclopropane-1-carboxamide);
15
        (32)
              Loprazolam;
16
        (33)
              Lorazepam;
17
        (34)
              Lormetazepam;
18
        (35)
              Mebutamate;
19
        (36)
              Medazepam;
20
        (37)
              Meprobamate;
21
        (38)
              Methohexital:
```

S.B. NO. 5.D. 1 H.D. 2

```
Methylphenobarbital (mephorbarbital);
1
        (39)
2
         (40)
               Midazolam;
3
        (41)
               Nimetazepam;
 4
        (42)
               Nitrazepam;
 5
         (43)
               Nordiazepam;
 6
        (44)
               Oxazepam;
 7
        (45)
               Oxazolam;
8
         (46)
               Paraldehyde;
9
         (47)
               Petrichloral;
10
               Phenobarbital;
        (48)
11
         (49)
               Pinazepam;
12
        (50)
               Prazepam;
13
        (51)
               Quazepam;
14
         (52)
               Remimazolam;
15
        (53)
               Suvorexant;
16
        (54)
               Temazepam;
17
        (55)
               Tetrazepam;
18
        (56)
               Triazolam;
19
         (57)
               Zaleplon;
20
        (58)
               Zolpidem; [and]
21
         (59)
               Zopiclone (Lunesta) [-]; and
```

```
1
        (60) Zuranolone.
 2
         [(c) Fenfluramine. Any material, compound, mixture, or
 3
    preparation which contains any quantity of the following
 4
    substances, including its salts, isomers, and salts of isomers,
    whenever the existence of such salts, isomers, and salts of
 5
 6
    isomers is possible: Fenfluramine.
 7
         (d) (c) Stimulants. Unless specifically excepted or
 8
    unless listed in another schedule, any material, compound,
9
    mixture, or preparation [which] that contains any quantity of
10
    the following substances having a stimulant effect on the
11
    central nervous system, including its salts, isomers, and salts
12
    of such isomers whenever the existence of such salts, isomers,
    and salts of isomers is possible within the specific chemical
13
14
    designation:
15
              Cathine ((+)-norpseudoephedrine);
         (1)
16
         (2)
              Diethylpropion;
17
         (3)
              Fencamfamin;
18
         (4)
              Fenproporex;
19
         (5)
              Lorcaserin;
20
         (6)
              Mazindol:
21
         (7)
              Mefenorex:
```

```
1
          (8)
               Modafinil;
 2
          (9)
               Pemoline (including organometallic complexes and
               chelates thereof);
 3
 4
         (10)
              Phentermine;
 5
        (11) Pipradrol;
        (12) Serdexmethylphenidate;
 6
 7
        (13) Sibutramine;
        (14) Solriamfetol; and
 8
 9
               SPA (1-dimethylamino-1,2-diphenylethane, lefetamine).
        (15)
10
          [<del>(e)</del>] (d) Other substances. Unless specifically excepted
11
    or unless listed in another schedule, any material, compound,
12
    mixture, or preparation [which] that contains any quantity of
    the following substances, including its optical isomers and its
13
14
    salts, isomers, and salts of isomers:
15
         (1) Pentazocine; and
16
          (2)
               Eluxadoline (5-[[(2S)-2-amino-3-[4-aminocarbonyl)-
17
               2,6-dimethylphenyl]-1-oxopropyl][(1S)-1-(4-phenyl-1H-
18
               imidazol-2-yl)ethyl]amino]methyl]-2-methoxybenzoic
19
               acid[+]).
20
          \left[\frac{f}{f}\right] (e) The department of law enforcement may except by
21
    rule any compound, mixture, or preparation containing any
```

S.B. NO. 51452 S.D. 1 H.D. 2

- 1 depressant substance listed in subsection (b) or any stimulant
- 2 listed in subsection $[\frac{d}{d}]$ (c) from the application of all or
- 3 any part of this chapter if the compound, mixture, or
- 4 preparation contains one or more active medicinal ingredients
- 5 not having a depressant or stimulant effect on the central
- 6 nervous system, and if the admixtures are included therein in
- 7 combinations, quantity, proportion, or concentration that
- 8 vitiate the degree of danger or probable danger of the
- 9 substances which have a depressant or stimulant effect on the
- 10 central nervous system.
- 11 [(g)] (f) Narcotic drugs. Unless specifically excepted or
- 12 unless listed in another schedule, any material, compound,
- 13 mixture, or preparation containing any of the following narcotic
- 14 drugs, or their salts calculated as the free anhydrous base or
- 15 alkaloid, in limited quantities as set forth below:
- 16 (1) Not more than one milligram of different and not less
- than twenty-five micrograms of atropine sulfate per
- dosage unit;
- 19 (2) Dextropropoxyphene [(alpha-(+)-4-dimethylamino-1, 2-
- 20 diphenyl-3-methyl-2-propionoxybutane); (alpha-(+)-4-

S.B. NO. 5.D. 1 H.D. 2 C.D. 1

1	dimethylamino-1,2-diphenyl-3-methyl-2-
2	<pre>propionoxybutane); and</pre>
3	(3) 2-[(dimethylamino)methyl]-1-(3-
4	methoxyphenyl)cyclohexanol, its salts, optical and
5	geometric isomers and salts of these isomers
6	(including tramadol)."
7	SECTION 4. Statutory material to be repealed is bracketed
8	and stricken. New statutory material is underscored.
9	SECTION 5. This Act shall take effect on July 1, 2025.

S.B. NO. 5.D. 1 H.D. 2 C.D. 1

Report Title:

Uniform Controlled Substances Act; Federal Controlled Substances Act

Description:

Updates chapter 329, HRS, to make it consistent with amendments in the Federal Controlled Substances Act as required under section 329-11, HRS. (CD1)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.