RELATING TO THE UNIFORM CONTROLLED SUBSTANCE ACT.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

```
1
         SECTION 1. Section 329-14, Hawaii Revised Statutes, is
2
    amended as follows:
3
             By amending subsection (b) to read:
4
               Any of the following opiates, including their
5
    isomers, esters, ethers, salts, and salts of isomers, esters,
6
    and ethers, unless specifically excepted, whenever the existence
7
    of these isomers, esters, ethers, and salts is possible within
8
    the specific chemical designation:
9
              Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-
         (1)
10
              phenethyl)-4-piperidinyl]-N-phenylacetamide);
11
         (2)
              Acetylmethadol;
12
              Acetyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
         (3)
13
              phenylacetamide), its optical, positional, and
14
              geometric isomers, salts, and salts of isomers;
15
         (4)
              Acryl fentanyl [N-(1-phenethylpiperidin-4-yl)-N-
              phenylacrylamide] (Other name: acryloylfentanyl);
16
              AH-7921 (3,4-dichloro-N-[(1-
17
         (5)
18
              dimethylamino)cyclohexylmethyl]benzamide);
```

S.B. NO. <u>1452</u>

```
1
           (6)
                Allylprodine;
 2
           (7)
                Alphacetylmethadol (except levo-alphacetylmethadol,
 3
                levomethadyl acetate, or LAAM);
 4
           (8)
                Alphameprodine;
 5
          (9)
                Alphamethadol;
 6
                Alpha'-methyl butyryl fentanyl (2-methyl-N-(1-
         (10)
 7
                phenethylpiperidin-4-yl)-N-phenylbutanamide);
 8
        [<del>(10)</del>] (11) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-
 9
                phenyl)ethyl-4-piperidyl]propionanilide; 1-(1-methyl-
10
                2-phenylethyl) -4-(N-propanilido) piperidine);
11
        [\frac{(11)}{(12)}] (12) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-
12
                thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
13
        [\frac{(12)}{(13)}]
                      Benzethidine;
14
        [<del>(13)</del>] (14) Benzylfentanyl (N-[1-benzyl-4-piperidyl]-N-
15
               phenylpropanamide), its optical isomers, salts, and
16
                salts of isomers;
17
        [\frac{(14)}{(15)}] (15) Betacetylmethadol;
18
        [\frac{(15)}{(16)}]
                      Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-
19
               phenethyl) -4-piperidinyl] -N-phenylpropanamide);
20
        \left[\frac{(16)}{(17)}\right] (17) Beta-hydroxy-3-methylfentanyl (N-[1-(2-hydroxy-
21
               2-phenethyl)-3-methyl-4-piperidinyl]-N-
22
               phenylpropanamide);
```

```
1
         [<del>(17)</del>] (18) Beta-hydroxythiofentanyl (N-[1-[2-hydroxy-2-
 2
                 (thiophen-2-yl)ethyl]piperidin-4-yl]-N-
 3
                phenylpropionamide);
 4
                       Betameprodine;
         [-(18)-] (19)
 5
         \left[\frac{(19)}{(19)}\right] (20) Betamethadol;
 6
         [\frac{(20)}{(21)}] (21) Beta-methyl fentanyl (N-phenyl-N-(1-(2-
 7
                phenylpropyl)piperidin-4-yl)propionamide) (Other
 8
                         [beta] -methyl fentanyl);
                name:
 9
         [<del>(21)</del>] (22) Beta'-phenyl fentanyl (N-(1-phenethylpiperidin-
10
                4-yl)-N,3-diphenylpropanamide) (Other names: [beta]'-
11
                phenyl fentanyl; 3-phenylpropanoyl fentanyl);
12
         [\frac{(22)}{(23)}] (23) Betaprodine;
13
         (24) Brorphine 1-(1-(4-bromophenyl)ethyl)piperidin-4-
14
                yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one;
15
        [(23)] (25) Butyryl fentanyl (N-(1-phenethylpiperidin-4-yl)-
16
                N-phenylbutyramide);
17
        \left[\frac{(24)}{(26)}\right] (26) Clonitazene;
18
        [(25)] (27) Cyclopropyl fentanyl (N-(1-phenethylpiperidin-4-
19
                yl)-N-phenylcyclopropanecarboxamide);
20
        [\frac{(26)}{(28)}] (28) Dextromoramide;
21
        \left[\frac{(27)}{(29)}\right] (29) Diampromide;
22
        [<del>(28)</del>] (30) Diethylthiambutene;
```

```
1
         \left[\frac{(29)}{(31)}\right] (31) Difenoxin;
 2
         [\frac{(30)}{}] (32) Dimenoxadol;
         [\frac{(31)}{(31)}] (33) Dimepheptanol;
 3
 4
         (34) 2',5'-dimethoxyfentanyl (N-(1-(2,5-
 5
                 dimethoxyphenethyl)piperidin-4-yl)-N-
 6
                 phenylpropionamide);
 7
         [\frac{(32)}{(35)}] (35) Dimethylthiambutene;
 8
         [<del>(33)</del>] (36) Dioxaphetyl butyrate;
 9
         [<del>(34)</del>] (37) Dipipanone;
10
         [<del>(35)</del>] (38) Ethylmethylthiambutene;
11
         (39) Etodesnitazene (2-(2-(4-ethoxybenzyl)-1H-benzimidazol-
12
                 1-yl)-N, N-diethylethan-1-amine) (Other
13
                 name: etazene);
14
         [<del>(36)</del>] (40) Etonitazene;
15
         \left[\frac{(37)}{(37)}\right] (41) Etoxeridine;
         [(38)] (42) Fentanyl carbamate (ethyl (1-phenethylpiperidin-
16
17
                 4-yl) (phenyl) carbamate);
         [<del>(39)</del>] (43) 4-fluoroisobutyryl fentanyl [N-(4-fluorophenyl)-
18
19
                 N-(1-phenethylpiperidin-4-yl)isobutyramide] (Other
20
                 name: para-fluoroisobutyryl fentanyl);
         [\frac{(40)}{(40)}] (44) 2'-fluoro ortho-fluorofentanyl (N-(1-(2-
21
22
                 fluorophenethyl)piperidin-4-yl)-N-(2-
```

```
1
               fluorophenyl)propionamide) (Other name: 2'-fluoro 2-
2
               fluorofentanyl);
3
        [<del>(41)</del>] (45) Furanyl fentanyl (N-(1-phenethylpiperidin-4-y1)-
4
               N-phenylfuran-2-carboxamide);
5
               3-furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
        (46)
6
               phenylfuran-3-carboxamide);
        [<del>(42)</del>] (47) Furethidine;
7
8
        [<del>(43)</del>] (48) Hydroxypethidine;
9
        (49) Isovaleryl fentanyl (3-methyl-N-(1-phenethylpiperidin-
10
               4-yl)-N-phenylbutanamide);
11
        [\frac{44}{1}] (50) Ketobemidone;
        [(45)] (51) Levomoramide;
12
13
        [<del>(46)</del>] (52) Levophenacylmorphan;
14
               Meta-fluorofentanyl (N-(3-fluorophenyl)-N-(1-
        (53)
15
               phenethylpiperidin-4-yl)propionamide);
               Meta-fluoroisobutyryl fentanyl (N-(3-fluorophenyl)-N-
16
        (54)
17
               (1-phenethylpiperidin-4-yl)isobutyramide);
18
        [\frac{47}{1}] (55) Methoxyacetyl fentanyl (2-methoxy-N-(1-
19
               phenethylpiperidin-4-yl) -N-phenylacetamide);
20
               2-Methyl AP-237 (1-(2-methyl-4-(3-phenylprop-2-en-1-
        (56)
21
               yl)piperazin-1-yl)butan-1-one);
```

```
1
         (57)
                Metonitazene (N, N-diethyl-2-(2-(4-methoxybenzyl)-5-
 2
                nitro-1H-benzimidazol-1-yl)ethan-1-amine);
 3
        [\frac{(48)}{}] (58)
                      4'-methyl acetyl fentanyl (N-(1-(4-
 4
                methylphenethyl)piperidin-4-yl)-N-phenylacetamide);
 5
                      3-methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-
        [\frac{(49)}{(59)}]
 6
                4-piperidyl]-N-phenylpropanamide);
 7
        [(50)] (60) 3-methylthiofentanyl (N-[3-methyl-1-(2-
 8
                thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
 9
        \left[\frac{(51)}{(51)}\right] (61) Morpheridine;
10
        [<del>(52)</del>] (62) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
11
         (63)
               N, N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1H-
12
                benzimidazol-1-yl)ethan-1-amine (other name:
13
               protonitazene);
14
         (64)
               N-pyrrolidino etonitazene (2-(4-ethoxybenzyl)-5-nitro-
15
                1(2-(pyrrolidin-1-yl)ethyl)-1H-benzimidazole) (other
16
                name: etonitazepyne);
17
        [\frac{(53)}{(53)}] (65) Noracymethadol;
18
        [\frac{(54)}{}] (66)
                      Norlevorphanol;
19
        [\frac{(55)}{(57)}] (67) Normethadone;
20
        [<del>(56)</del>] (68) Norpipanone;
21
        [(57)] (69) Ocfentanil [N-(2-fluorophenyl)-2-methoxy-N-(1-
22
               phenethylpiperidin-4-yl)acetamide];
```

```
1
        [<del>(58)</del>] (70) Ortho-fluoroacryl fentanyl (N-(2-fluorophenyl)-
 2
               N-(1-phenethylpiperidin-4-yl)acrylamide);
 3
        [(59)] (71) Ortho-fluorobutyryl fentanyl (N-(2-
 4
               fluorophenyl) -N-(1-phenethylpiperidin-4-yl)butyramide)
5
               (Other name: 2-fluorobutyryl fentanyl);
 6
               Ortho-fluorofuranyl fentanyl (N-(2-fluorophenyl)-N-(1-
         (72)
7
               phenethylpiperidin-4-yl)furan-2-carboxamide);
        [\frac{(60)}{(73)}] (73) Ortho-fluorofentanyl (N-(2-fluorophenyl)-N-(1-
8
9
               phenethylpiperidin-4-yl)propionamide) (Other name: 2-
10
               fluorofentanyl);
11
        [<del>(61)</del>] (74) Ortho-fluoroisobutyryl fentanyl (N-(2-
12
               fluorophenyl) -N-(1-phenethylpiperidin-4-
13
               yl) isobutyramide);
14
        [\frac{(62)}{(75)}] (75) Ortho-methyl acetylfentanyl (N-(2-methylphenyl)-
15
               N-(1-phenethylpiperidin-4-yl)acetamide) (Other
16
                      2-methyl acetylfentanyl);
               name:
17
        [<del>(63)</del>] (76) Ortho-methyl methoxyacetyl fentanyl (2-methoxy-
18
               N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-
19
               yl)acetamide) (Other name: 2-methyl methoxyacetyl
20
               fentanyl);
21
        [<del>(64)</del>] (77) Para-fluorobutyryl fentanyl (N-(4-fluorophenyl)-
22
               N-(1-phenethylpiperidin-4-yl)butyramide);
```

S.B. NO. <u>1452</u>

```
1
                       Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-
        [\frac{(65)}{(78)}]
 2
                phenethyl) -4-piperidinyl]propanamide;
 3
        [(66)] (79) Para-fluoro furanyl fentanyl (N-(4-
 4
                fluorophenyl) -N- (1-phenethylpiperidin-4-yl) furan-2-
 5
                carboxamide);
 6
         (80)
                Para-methoxyfuranyl fentanyl (N-(4-methoxyphenyl)-N-
7
                (1-phenethylpiperidin-4-yl)furan-2-carboxamide);
8
         (81)
                Para-methylcyclopropyl fentanyl (N-(4-methylphenyl)-N-
9
                (1-phenethylpiperidin-4-yl)cyclopropanecarboxamide);
10
        [\frac{(67)}{}] (82) Para-methylfentanyl (N-(4-methylphenyl)-N-(1-
11
                phenethylpiperidin-4-yl)propionamide) (Other name: 4-
12
                methylfentanyl);
13
        [\frac{(68)}{(83)}] (83) PEPAP (1-(-2-phenethyl)-4-phenyl-4-
14
                acetoxypiperidine);
15
                       Phenadoxone;
        [\frac{(69)}{}] (84)
16
        [\frac{(70)}{}] (85) Phenampromide;
        \left[\frac{1}{1}\right] (86) Phenomorphan;
17
18
        [\frac{(72)}{}] (87)
                       Phenoperidine;
19
        \left[\frac{(73)}{(88)}\right]
                       Phenyl fentanyl (N-(1-phenethylpiperidin-4-yl)-
20
                N-phenylbenzamide) (Other name: benzoyl fentanyl);
21
        [<del>(74)</del>] (89) Piritramide;
22
        [<del>(75)</del>] (90) Proheptazine;
```

```
1
        [<del>(76)</del>] (91) Properidine;
 2
        \left[\frac{(77)}{}\right] (92) Propiram;
 3
        [\frac{(78)}{}] (93) Racemoramide;
 4
        [\frac{(79)}{}] (94) Thenylfentanyl (N-[1-(2-thienyl)methyl-4-
 5
                piperidyl]-N-phenylpropanamide), its optical isomers,
 6
                salts, and salts of isomers;
 7
        [(80)] (95) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-
 8
                piperidinyl]-propanamide);
9
        [(81)] (96) Thiofuranyl fentanyl (N-(1-phenethylpiperidin-4-
10
                yl)-N-phenylthiophene-2-carboxamide) (Other names:
11
                thiofuranyl fentanyl; thiophene fentanyl);
12
        \left[\frac{(82)}{(97)}\right] (97) Tilidine;
13
        [\frac{(83)}{(98)}] (98) Trimeperidine; and
14
        [<del>(84)</del>] (99) U-47700 (3,4-dichloro-N-[2-
15
                (dimethylamino) cyclohexyl] -N-methylbenzamide."
16
          2. By amending subsection (d) to read:
17
                Hallucinogenic substances. Unless specifically
          " (d)
18
    excepted or unless listed in another schedule, any material,
19
    compound, mixture, or preparation that contains any quantity of
20
    the following hallucinogenic substances, including their salts,
21
    isomers, and salts of isomers, whenever the existence of these
```

S.B. NO. <u>1452</u>

```
1
    salts, isomers, and salts of isomers is possible within the
 2
    specific chemical designation:
 3
          (1)
              Alpha-ethyltryptamine (AET);
 4
          (2)
               2,5-dimethoxy-4-ethylamphetamine (DOET);
5
               2,5-dimethoxyamphetamine (2,5-DMA);
          (3)
 6
              3,4-methylenedioxy amphetamine;
          (4)
 7
              3,4-methylenedioxymethamphetamine (MDMA);
          (5)
8
          (6)
              N-hydroxy-3,4-methylenedioxyamphetamine (N-hydroxy-
9
              MDA);
10
         (7)
              3,4-methylenedioxy-N-ethylamphetamine (MDE);
11
          (8)
              5-methoxy-3,4-methylenedioxy-amphetamine;
12
         (9)
              4-bromo-2,5-dimethoxy-amphetamine (4-bromo-2,5-DMA);
13
              4-Bromo-2,5-dimethoxyphenethylamine (Nexus);
        (10)
14
        (11)
              3,4,5-trimethoxy amphetamine;
15
        (12)
              Bufotenine;
16
        (13)
              4-methoxyamphetamine (PMA);
17
        (14)
              Diethyltryptamine;
18
        (15)
              Dimethyltryptamine;
19
        (16)
              4-methyl-2,5-dimethoxy-amphetamine;
20
        (17)
              Gamma hydroxybutyrate (GHB) (some other names include
21
              gamma hydroxybutyric acid; 4-hydroxybutyrate; 4-
```

```
1
              hydroxybutanoic acid; sodium oxybate; sodium
2
              oxybutyrate);
3
              Ibogaine;
        (18)
4
              Lysergic acid diethylamide;
        (19)
5
        (20)
              Marijuana;
6
        (21)
              Parahexyl;
7
              Mescaline;
        (22)
8
              Peyote;
        (23)
9
              N-ethyl-3-piperidyl benzilate;
        (24)
              N-methyl-3-piperidyl benzilate;
10
        (25)
11
        (26)
              Psilocybin;
12
        (27)
              Psilocyn;
              1-[1-(2-Thienyl) cyclohexyl] Pyrrolidine (TCPy);
13
        (28)
14
              Ethylamine analog of phencyclidine (PCE);
        (29)
15
              Pyrrolidine analog of phencyclidine (PCPy, PHP);
        (30)
              Thiophene analog of phencyclidine (TPCP; TCP);
16
        (31)
              Gamma-butyrolactone, including butyrolactone;
17
        (32)
18
              butyrolactone gamma; 4-butyrolactone; 2(3H)-furanone
19
              dihydro; dihydro-2(3H) furanone; tetrahydro-2-furanone;
20
              1,2-butanolide; 1,4-butanolide; 4-butanolide; gamma-
21
              hydroxybutyric acid lactone; 3-hydroxybutyric acid
22
              lactone and 4-hydroxybutanoic acid lactone with
```

```
1
              Chemical Abstract Service number 96-48-0 when any such
              substance is intended for human ingestion;
2
3
              1,4 butanediol, including butanediol; butane-1,4-diol;
        (33)
              1,4- butylenes glycol; butylene glycol; 1,4-
4
5
              dihydroxybutane; 1,4- tetramethylene glycol;
              tetramethylene glycol; tetramethylene 1,4- diol with
6
7
              Chemical Abstract Service number 110-63-4 when any
8
              such substance is intended for human ingestion;
              2,5-dimethoxy-4-(n)-propylthiophenethylamine (2C-T-7),
9
        (34)
              its optical isomers, salts, and salts of isomers;
10
              N-benzylpiperazine (BZP; 1-benzylpiperazine), its
11
        (35)
12
              optical isomers, salts, and salts of isomers;
              1-(3-trifluoromethylphenyl)piperazine (TFMPP), its
13
        (36)
14
              optical isomers, salts, and salts of isomers;
15
              Alpha-methyltryptamine (AMT);
        (37)
              5-methoxy-N, N-diisopropyltryptamine (5-MeO-DIPT);
16
        (38)
17
        (39)
              Salvia divinorum;
18
        (40)
              Salvinorin A;
19
        (41)
              Divinorin A;
              5-Methoxy-N, N-Dimethyltryptamine (5-MeO-DIPT) (some
20
        (42)
21
              trade or other names: 5-methoxy-3-[2-
22
              (dimethylamino)ethyl]indole; 5-MeO-DMT);
```

```
2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
1
        (43)
              2-(2,5-Dimethoxy-4-methylphenyl) ethanamine (2C-D);
2
        (44)
              2-(4-Chloro-2,5-dimethoxyphenyl) ethanamine (2C-C);
3
        (45)
              2-(4-Iodo-2,5-dimethoxyphenyl) ethanamine (2C-I);
4
        (46)
5
              2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-
        (47)
6
              2);
7
        (48)
              2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine
8
              (2C-T-4);
9
              2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
        (49)
              2-(2,5-Dimethoxy-4-nitro-phenyl) ethanamine (2C-N);
10
        (50)
11
        (51)
              2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
12
              2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-
        (52)
              methoxybenzyl) ethanamine, its optical, positional, and
13
14
              geometric isomers, salts, and salts of isomers (Other
15
              names:
                       25I-NBOMe; 2C-I-NBOMe; 25I; Cimbi-5);
              2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-
16
        (53)
17
              methoxybenzyl)ethanamine, its optical, positional, and
18
              geometric isomers, salts, and salts of isomers (Other
19
                       25C-NBOMe; 2C-C-NBOMe; 25C; Cimbi-82);
20
        (54)
              2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-
              methoxybenzyl) ethanamine, its optical, positional, and
21
```

```
1
              geometric isomers, salts, and salts of isomers (Other
 2
              names: 25B-NBOMe; 2C-B-NBOMe; 25B; Cimbi-36);
 3
        (55)
              N-ethylhexedrone, its optical, positional, and
 4
              geometric isomers, salts, and salts of isomers (Other
 5
              names:
                       [alpha] -ethylaminohexanophenone; 2-
 6
               (ethylamino) -1-phenylhexan-1-one);
 7
         (56)
              Alpha-pyrrolidinohexanophenone, its optical,
 8
              positional, and geometric isomers, salts, and salts of
 9
              isomers (Other names: [alpha]-PHP; [alpha]-
10
              pyrrolidinohexanophenone; 1-phenyl-2-(pyrrolidin-1-
11
              yl)hexan-1-one);
12
        (57)
              4-methyl-alpha-ethylaminopentiophenone, its optical,
13
              positional, and geometric isomers, salts, and salts of
14
              isomers (Other names: 4-MEAP; 2-(ethylamino)-1-(4-
15
              methylphenyl)pentan-1-one);
16
        (58)
              4'-methyl-alpha-pyrrolidinohexiophenone, its optical,
17
              positional, and geometric isomers, salts, and salts of
              isomers (Other names: MPHP; 4'-methyl-alpha-
18
19
              pyrrolidinohexanophenone; 1-(4-methylphenyl)-2-
20
              (pyrrolidin-1-yl)hexan-1-one);
21
        (59)
              Alpha-pyrrolidinoheptaphenone, its optical,
22
              positional, and geometric isomers, salts, and salts of
```

```
1
              isomers (Other names: PV8; 1-phenyl-2-(pyrrolidin-1-
2
              yl)heptan-1-one);
3
              4'-chloro-alpha-pyrrolidinovalerophenone, its optical,
        (60)
4
              positional, and geometric isomers, salts, and salts of
5
              isomers (Other names: 4-chloro-[alpha]-PVP; 4'-
6
              chloro-[alpha]-pyrrolidinopentiophenone; 1-(4-
7
              chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one); [and]
8
        (61)
              2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one
9
              (methoxetamine, MXE) [-];
10
        (62)
              Eutylone (1-(1,3-benzodioxol-5-yl)-2-
11
              (ethylamino) butan-1-one) (other name: bk-EBDB); and
12
        (63)
              Zipeprol (1-methoxy-3[-4-(2-methoxy-2-
13
              phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol),
14
              including its isomers, esters, ethers, salts, and
15
              salts of isomers, esters and ethers, whenever the
16
              existence of such isomers, esters, ethers and salts is
17
              possible within the specific chemical designation."
18
             By amending subsection (f) to read:
19
         "(f) Stimulants. Unless specifically excepted or unless
20
    listed in another schedule, any material, compound, mixture, or
21
    preparation that contains any quantity of the following
```

```
1
     substances having a stimulant effect on the central nervous
 2
     system, including its salts, isomers, and salts of isomers:
 3
          (1) Amineptine;
 4
          \left[\frac{1}{1}\right] (2) Aminorex;
 5
          \left[\frac{(2)}{(2)}\right] (3) Cathinone;
          [<del>(3)</del>] (4) 4,4'-dimethylaminorex (common name: 4,4'-DMAR);
 6
 7
          \left[\frac{4}{4}\right] (5) Fenethylline;
 8
                Mesocarb (chemical name: N-phenyl-N'-(3-(1-
          (6)
9
                phenylpropan-2-yl)-1,2,3-oxadiazol-3-ium-5-
10
                yl)carbamimidate);
11
          [\frac{(5)}{(7)}] (7) Methcathinone;
12
          (8)
                Methiopropamine (N-methyl-1-(thiophen-2-yl)propan-2-
13
                amine);
14
          [\frac{(6)}{(9)}] (9) 4-methylaminorex;
15
          [\frac{(7)}{(10)}] (10) N-ethylamphetamine;
16
          [<del>(8)</del>] (11) N, N-dimethylamphetamine;
          [<del>(9)</del>] (12) Substituted cathinones, any compound, except
17
18
                bupropion or compounds listed under a different
19
                schedule, structurally derived from 2-aminopropan-1-
20
                one by substitution at the 1-position with either
21
                phenyl, naphthyl, or thiophene ring systems, whether
```

1	or not the compound is further modified in any of the
2	following ways:
3	(A) By substitution in the ring system to any extent
4	with alkyl, alkylenedioxy, alkoxy, haloalkyl,
5	hydroxyl, or halide substituents, whether or not
6	further substituted in the ring system by one or
7	more other univalent substituents;
8	(B) By substitution at the 3-position with an acyclic
9	alkyl substituent; or
10	(C) By substitution at the 2-amino nitrogen atom with
11	alkyl, dialkyl, benzyl, or methoxybenzyl groups,
12	or by inclusion of the 2-amino nitrogen atom in a
13	cyclic structure.
14	Some other trade names: Mephedrone (2-methylamino-1-p-
15	tolylpropan-1-one), also known as 4-
16	methylmethcathinone (4-MMC), methylephedrone or MMCAT;
17	Methylenedioxypyrovalerone (MDPV, MDPK); methylone or
18	3,4-methylenedioxymethcathinone; and 1-
19	(benzo[d][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-one,
20	monohydrochloride, also known as Ethylone, bk-MDEA
21	hydrochloride, MDEC; 3,4-Methylenedioxy-N-
22	ethylcathinone; bk-Methylenedioxyethylamphetamine, 4-

```
1
              methyl-N-ethylcathinone (4-MEC); 4-methyl-alpha-
2
              pyrrolidinopropiophenone (4-MePPP); alpha-
3
              pyrrolidinopentiophenone ([alpha]-PVP); 1-(1,3-
4
              benzodioxol-5-yl)-2-(methylamino)butan-1-one
5
               (butylone, bk-MBDB e); 2-(methylamino)-1-phenylpentan-
6
              1-one (pentedrone); 1-(1,3-benzodioxol-5-yl)-2-
7
               (methylamino) pentan-1-one (pentylone, bk-MBDP); 4-
8
              fluoro-N-methylcathinone (4-FMC, flephedrone); 3-
9
              fluoro-N-methylcathinone (3-FMC); 1-(naphthalen-2-yl)-
10
              2-(pyrrolidin-1-yl)pentan-1-one (naphyrone); alpha-
11
              pyrrolidinobutiophenone ([alpha]-PBP) and their
12
              optical, positional, and geometric isomers, salts and
13
              salts of isomers, whenever the existence of such
14
              salts, isomers, and salts of isomers is possible; and
15
       \left[\frac{(10)}{(13)}\right] (13) 1-(4-methoxyphenyl)-N-methylpropan-2-amine
16
               (Other names: para-methoxymethamphetamine; PMMA)."
17
         SECTION 2. Section 329-20, Hawaii Revised Statutes, is
18
    amended to read as follows:
19
         "§329-20 Schedule IV. (a) The controlled substances
    listed in this section are included in schedule IV.
20
21
         (b)
              Depressants. Unless specifically excepted or unless
22
    listed in another schedule, any material, compound, mixture, or
```

```
1
    preparation that contains any quantity of the following
2
    substances, including its salts, isomers, esters, ethers, and
3
    salts of isomers, whenever the existence of these isomers,
4
    esters, ethers, and salts is possible within the specific
5
    chemical designation, that has a degree of danger or probable
6
    danger associated with a depressant effect on the central
7
    nervous system:
8
         (1)
              Alprazolam;
9
         (2)
              Barbital;
              Brexanolone;
10
         (3)
11
         (4)
              Bromazepam;
12
         (5)
              Butorphanol;
13
              Camazepam;
         (6)
14
         (7)
              Carisoprodol;
              Chloral betaine;
15
         (8)
16
         (9)
              Chloral hydrate;
              Chlordiazepoxide;
17
        (10)
18
        (11)
              Clobazam;
19
        (12)
              Clonazepam;
20
        (13)
              Clorazepate;
21
        (14)
              Clotiazepam;
22
        (15)
              Cloxazolam;
```

```
1
        (16)
              Daridorexant;
2
        (17)
              Delorazepam;
3
        (18)
              Diazepam;
4
        (19)
              Dichloralphenazone (Midrin);
5
        (20)
              Estazolam;
6
              Ethchlorvynol;
        (21)
7
        (22)
              Ethinamate;
8
        (23)
              Ethyl loflazepate;
9
        (24)
              Fludiazepam;
10
        (25)
              Flunitrazepam;
11
        (26)
              Flurazepam;
12
        (27)
              Fospropofol (Lusedra);
13
        (28)
              Halazepam;
14
        (29)
              Haloxazolam;
15
        (30)
              Ketazolam;
              Lemborexant ((1R,2S)-2-[(2,4-dimethylpyrimidin-5-
16
        (31)
17
              yl)oxymethyl]-2-(3-fluorophenyl)-N-(5-fluoropyridin-2-
18
              yl)cyclopropane-1-carboxamide);
19
        (32)
              Loprazolam;
20
        (33)
              Lorazepam;
21
        (34)
              Lormetazepam;
22
        (35)
              Mebutamate;
```

```
1
         (36)
               Medazepam;
 2
         (37)
               Meprobamate;
 3
         (38)
               Methohexital;
 4
               Methylphenobarbital (mephorbarbital);
         (39)
 5
         (40)
               Midazolam;
 6
         (41)
               Nimetazepam;
 7
         (42)
               Nitrazepam;
 8
         (43)
               Nordiazepam;
 9
         (44)
               Oxazepam;
10
         (45)
               Oxazolam;
11
         (46)
               Paraldehyde;
12
         (47)
               Petrichloral;
13
         (48)
               Phenobarbital;
14
         (49)
               Pinazepam;
15
         (50)
               Prazepam;
16
         (51)
               Quazepam;
17
         (52)
               Remimazolam;
18
         (53)
               Suvorexant;
19
         (54)
               Temazepam;
20
         (55)
               Tetrazepam;
21
         (56)
               Triazolam;
22
         (57)
               Zaleplon;
```

```
1
              Zolpidem; [and]
        (58)
2
              Zopiclone (Lunesta) [-] and
        (59)
3
        (60)
              Zuranolone.
4
         [(c) Fenfluramine. Any material, compound, mixture, or
5
    preparation which contains any quantity of the following
    substances, including its salts, isomers, and salts of isomers,
6
7
    whenever the existence of such salts, isomers, and salts of
8
    isomers is possible: Fenfluramine.
9
         (d) (c) Stimulants. Unless listed in another schedule,
10
    any material, compound, mixture, or preparation which contains
11
    any quantity of the following substances having a stimulant
12
    effect on the central nervous system, including its salts,
    isomers, and salts of such isomers whenever the existence of
13
    such salts, isomers, and salts of isomers is possible within the
14
15
    specific chemical designation:
              Cathine ((+)-norpseudoephedrine);
16
         (1)
17
         (2)
              Diethylpropion;
18
              Fencamfamin;
         (3)
19
         (4)
              Fenproporex;
20
              Lorcaserin;
         (5)
21
              Mazindol:
         (6)
22
         (7)
              Mefenorex;
```

```
1
          (8)
               Modafinil;
 2
               Pemoline (including organometallic complexes and
          (9)
 3
               chelates thereof);
 4
         (10)
               Phentermine;
 5
         (11)
               Pipradrol;
 6
               Serdexmethylphenidate;
         (12)
 7
               Sibutramine;
         (13)
 8
         (14)
               Solriamfetol; and
9
         (15)
               SPA (1-dimethylamino-1,2-diphenylethane, lefetamine).
10
          [<del>(e)</del>] (d) Other substances. Unless specifically excepted
11
    or unless listed in another schedule, any material, compound,
12
    mixture, or preparation which contains any quantity of the
13
    following substances, including its optical isomers and its
14
    salts, isomers, and salts of isomers:
15
          (1) Pentazocine; and
16
              Eluxadoline (5-[[(2S)-2-amino-3-[4-aminocarbonyl)-
          (2)
17
               2,6-dimethylphenyl]-1-oxopropyl][(1S)-1-(4-phenyl-1H-
18
               imidazol-2-yl) ethyl] amino] methyl] -2-methoxybenzoic
19
               acid.
20
          \left[\frac{f}{f}\right] (e) The department of law enforcement may except by
21
    rule any compound, mixture, or preparation containing any
22
    depressant substance listed in subsection (b) or any stimulant
```

1

S.B. NO. <u>1452</u>

2 any part of this chapter if the compound, mixture, or 3 preparation contains one or more active medicinal ingredients 4 not having a depressant or stimulant effect on the central 5 nervous system, and if the admixtures are included therein in 6 combinations, quantity, proportion, or concentration that 7 vitiate the degree of danger or probable danger of the 8 substances which have a depressant or stimulant effect on the 9 central nervous system. 10 [(g)] (f) Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, 11 12 mixture, or preparation containing any of the following narcotic 13 drugs, or their salts calculated as the free anhydrous base or 14 alkaloid, in limited quantities as set forth below: 15 Not more than one milligram of diffenoxin and not less 16 than twenty-five micrograms of atropine sulfate per 17 dosage unit; 18 (2) Dextropropoxyphene (alpha-(+)-4-dimethylamino-1, 2-19 diphenyl-3-methyl-2-propionoxybutane); and 20 2-[(dimethylamino)methyl]-1-(3-(3) 21 methoxyphenyl)cyclohexanol, its salts, optical and

listed in subsection [(d)] (c) from the application of all or

1	geometric isomers and salts of these isomers
2	(including tramadol)."
3	SECTION 3. Statutory material to be repealed is bracketed
4	and stricken. New statutory material is underscored.
5	SECTION 4. This Act shall take effect upon its approval.
6	
7	INTRODUCED BY:
8	BY REQUEST

S.B. NO.<u>1452</u>

Report Title:

Uniform Controlled Substances Act

Description:

Updates chapter 329, HRS, to make it consistent with amendments in the Federal Controlled Substances Act as required under section 329-11, HRS.

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.

JUSTIFICATION SHEET SB. NO. 1452

DEPARTMENT: Law Enforcement

TITLE: A BILL FOR AN ACT RELATING TO THE UNIFORM

CONTROLLED SUBSTANCES ACT.

PURPOSE: To update chapter 329, Hawaii Revised

Statutes (HRS), to make it consistent with

amendments in the Federal Controlled

Substances Act.

MEANS: Amend sections 329-14(b), (d), and (f) and

329-20, HRS.

JUSTIFICATION: Section 329-11, HRS, requires that the

Department of Law Enforcement annually recommend changes to the Hawaii Uniform

Controlled Substances Act to correspond with changes to the Federal Controlled Substances

Act.

Impact on the public: This bill is intended to protect the public by updating Hawaii's controlled substance schedules consistent

with federal law.

Impact on the department and other agencies: These proposed amendments would assist the Department's Narcotics Enforcement Division in clarifying regulations of the Uniform

Controlled Substances Act.

GENERAL FUND: None.

OTHER FUNDS: None.

PPBS PROGRAM

DESIGNATION: LAW 502.

OTHER AFFECTED

AGENCIES: Department of Health Food and Drug Branch;

federal, state, and county law enforcement

agencies.

EFFECTIVE DATE: Upon approval.